

Electric Portable Dry Vacuums

- For use with air tools – setup for two-tool operation.
- A cost-effective solution versus overhead central-vac systems.
- Quiet operation – only 76 dB(A).

Model 61300
9.9 Gallon

Model 61301
17 Gallon

Variable Vacuum Control

Adjust your vacuum flow, based on type of tool and work surface.

Automatic ON/OFF

Vacuum starts and stops with use of tool. Saves time and conserves energy!

H.E.P.A. Filtration

Retains 99.97% of ultra-fine particles (High Efficiency Particulate Air), as small as 0.3 microns in diameter.

Extra Thermal Protection Device

Additional safeguard against overload of electronic motor.

Two-Tool Setup

Connect and operate two tools simultaneously! Allows more efficient use of workshop space.



Electronic Thermal Protection Device

Prevents motor overload.

Heavy Duty Four-Wheel Trolley

The ultimate in portability! Vacuum unit effortlessly glides from one workstation to another.

“Tilt ‘n Clean” Stainless Steel Drum

Easily tilts backward for quick emptying. Requires no heavy lifting or tiresome bending! 9.9 or 17 gallon capacity.

Two 20-Foot Hoses

are included. Ultra-flexible and lightweight air and exhaust hose.

TWO YEAR Limited Warranty!

We back our quality with twice the coverage of competitive models.

Each unit includes everything shown.

Model Number	Capacity Gallon	Voltage / Frequency	Watts/hp	Air Pressure PSIG	Water Static Lift Inch	Shipping Weight lbs.	Height Inch	Width Inch
61300	9.9	120V/60 Hz	1,300/1.75	90	90	48.4	38-1/2	20-7/8
61301	17	120V/60 Hz	1,300/1.75	90	90	61.6	44-7/8	27-5/8

Pneumatic Portable Dry Vacuum System

Model 64625

- Spark-free operation.
- 10 gallon capacity.

Stainless Steel Construction

Air Flow Adjustment Dial

Water Resistant and Washable Filter Element



Top Tool Shelf

Two 16' Coaxial Hose Assemblies

Model Number	Capacity Gallon	Air Pressure PSIG	Water Static Lift Inch	Sound Level	Shipping Weight lbs.	Height Inch	Width Inch
64625	10	110-120	90	73 dB(A)	48	44	19

Electric Portable Dry Vacuum Accessories

- Designed specifically for Dynabrade vacuums.

Vacuum Trays

- Help organize tools, abrasives, etc.

96567

- 9.9 gallon.

96563

- 17 gallon.



96567 Vac Tray



96563 Vac Tray

Hose Hanger

96581

- Keeps hoses out of the way and off the floor.
- Can be placed anywhere on the trays for your convenience.
- Requires vacuum tray.




96581
Hose Hanger

Wall Mount Bracket

For 9.9 Gallon Vacuum Only

96534

- For those wanting a stationary vacuum.



96534 Wall Mount Bracket

Locking Front Wheel

80051

- Stabilize vacuum movement.



80051
Wheel

Cleaning Kit

96558

- Attachments for other cleanup jobs.
- Includes 6' long x 1-1/4" dia. vacuum hose, curved handle and two extension pipes along with round brush, crevis tool and coarse dirt nozzle attachments.



96558
Cleaning Kit

Edge Guard

For 9.9 Gallon Vacuum Only

61361

- Prevents scratching of surfaces when not on trolley.



61361
Edge Guard

Filters

64683

Standard Filter

- 1-micron filtering.

64684

H.E.P.A. Filter

- The highest in cartridge filtration; 0.3-micron filtering.



64684 H.E.P.A. Filter

Closing Vacuum Bags

- Strong disposable vacuum bags that have a closing feature for unwanted contamination. 0.5-micron filtering.

64682

9.9 Gallon

80076

17 Gallon



64682
9.9 Gallon
Vacuum Bags

Vacuum Hoses

3/4" Diameter Exhaust Hoses

95729

- Hose by-the-foot (no cuffs). Specify length desired. Order 95602 Factory-Installed Cuffs, if desired.



1" Diameter Exhaust Hoses

50682

- 6 feet long with two cuffs.

95709

- 10 feet long with two cuffs.

95395

- Hose-by-the-foot (no cuffs). Specify length up to 50 feet. Order 95599 Factory-Installed Cuffs, if desired.

1-1/4" Diameter Exhaust Hoses

54205

- Hose-by-the-foot (no cuffs). Specify length up to 50 feet. Order 95894 Factory-Installed Cuffs, if desired.



1-1/2" Diameter Exhaust Hoses

95847

- Hose-by-the-foot (no cuffs). Specify length up to 50 feet.



Vacuum Hose Swivel Adapters

- Adds flexibility to vacuum hose connection.

96572

1" Swivel Adapter

96573

1-1/4" Swivel Adapter



Hose Cuffs

All measurements are I.D.

95601



3/4" Thread

3/4" Non-Thread

95396



1" Thread

1" Non-Thread

95800

- Use optional 95895 Insert to mount to tool's vacuum outlet on non-thread end.



1-1/4" Thread

1-1/4" Non-Thread

96413



1-1/4" Thread

1-1/2" Thread

96414



1-1/4" Thread

1-1/2" Non-Thread

96412

- Use to connect two 1-1/4" hoses.



1-1/4" Thread

1-1/4" Thread

95894



1-1/4" Thread

1" Non-Thread

96006

- Cuff swivels.



1-1/4" Thread

1" Non-Thread

96414



1-1/2" Non-Thread

1-1/4" Thread

95699



1-1/4" Non-Thread

1-1/2" Thread

96102

- Use optional 95895 Insert to mount to tool's vacuum outlet; or 95396 Hose Cuff for 1" exhaust hose.



1-1/2" Thread

1-1/4" Non-Thread

96103



1-1/2" Thread

1" Non-Thread

97051



2" Non-Thread

1-1/2" Thread

95698

- Cuff swivels.



2" Non-Thread

2-1/4" Thread

96004

- Cuff swivels.



1-1/4" Thread

1-1/4" Non-Thread

96104

- Keeps air line out of the way.



1-1/2" Thread

1" Non-Thread

95700

- Includes 95699 Cuff Adapter and 95698 2" Swivel Cuff.
- Use with optional 95396 Hose Cuff for 1" Exhaust Hose.



2" Thread

1-1/4" Non-Thread

96580

- Hose Assy.



1-1/4" Thread

2" Non-Thread

54208



1" Thread

1-1/4" Non-Thread

Vacuum and Air Line Accessories

Air Line Hoses

95361

- 5 feet long, with male and female fittings.

11292

- 3/8" I.D. with two 1/4" male fittings. 8 feet long.

95938

- One set, factory-installed male and female fittings.

95807

- 1/4" air line custom length, no fittings (specify length). Use 95938.

95580

- 28 inches long with male and female fittings.

95870

- 1/2" I. D. with male and female fittings. 5 feet long.



Swivel Air Line Hoses

- Eliminates kinking. Tough, flexible and lightweight.
- Fittings swivel 360° for easy use.

Part No.	Description	Hose Dia.	Length
96217	1/4" Female to 1/4" Male	1/4"	3 ft.
96218	1/4" Female to 1/8" Male	1/4"	3 ft.
96219	1/4" Female to 1/4" Male	1/4"	6 ft.
96220	1/4" Female to 1/8" Male	1/4"	3 ft.
96221	Hose by the foot (no fittings). Order fittings separately, if desired.	1/4"	Custom
96225	1/4" NPT Female Fitting	For 1/4" Hose	-
96226	1/4" NPT Male Fitting	For 1/4" Hose	-
96227	1/8" NPT Male Fitting	For 1/4" Hose	-
96228	1/4" NPT Female Fitting	For 3/8" Hose	-
96229	1/4" NPT Male Fitting	For 3/8" Hose	-



6' Long Flex-Hose Systems

- All systems include 6' long flex-hose.

50617

- Has 50683 Standard Reusable Cloth Bag with hook 'n loop for easy emptying.

56303

- Has 56304 Zipper-Lock Bag.

54420

- Includes 50683 Cloth Bag, 95361 6 ft. air line, 95362 Rubber Connectors and 50682 Exhaust Hose.



Bag-In-A-Box System

54217

- Includes: 95816 Air Line 11' long, 95709 Flex-Hose (1" dia. x 10' long), 95362 Rubber Connectors (5) and 95575 Durable Box Receptacle.
- Sample paper bag included. Paper bag reorder: 50692 (400/case) or 50693 (24/pkg.)

Longer hose lengths available for both systems! Also available without bag and box: Order 95820 Hose Assembly which includes 95816, 95709, and 95362 described above.



Vacuum and Air Line Accessories

Reusable Cloth Bags

56304

- With zipper. Both these collection bags measure 14-1/2" long x 7-1/2" wide and connect to vacuum hose. 5-micron filtration.



50683

- With hook 'n loop closure.

Mini-Reusable Cloth Bags

50694

- 11" long x 3" wide bag connects to vac hose or directly to tool.
- Has hook 'n loop closure. 5-micron filtration.



54284

- 95580 Air line 1/4" dia. x 28" long.
- 50638 Flex-hose 1" dia x 18" long.
- 50694 Mini-Reusable Cloth Bag.
- 95362 Rubber Connectors (5) which connect air line to exhaust hose.



Exhaust Hose Assembly

95820

- 11" long x 3" wide bag connects to vac hose or directly to tool.
- Has hook 'n loop closure. 5-micron filtration.

54284

- 1" diameter x 10' long.
- 95709 Flex Hose (1" dia., 10' long with cuffs).
- 95816 Air Line (1/4" dia., 11' long).
- 95362 Rubber Connectors.
- Use with Dynorbital® sanders.



Hose Cover

95986

- 5' long cloth cover.
- Covers air line and exhaust/vacuum hoses (not included).
- Eliminates damage from hoses dragging on the workpiece.



Rubber Connectors

95362

- Five per package. Used to strap tool air line to tool's exhaust hose for easy "all-in-one" maneuverability.



In-Line Speed Regulators


- Mounts directly to air tool.

95745

- 1/4" NPT connection (up to 25 CFM).

95746

- 3/8" NPT connection (up to 26-45 CFM).



Coaxial Vacuum Hose Assemblies

For Dynabrade Vacuum Systems

See Page 41 for Electric Models 61300 and 61301

94941

1-1/4" x 20 ft.

- Includes everything as shown below.
- Air line is inside of exhaust hose for ease of use and convenience.

Compared To The Competition:

- 2 - 4 ft. longer.
- 2 lbs. lighter.
- More flexible exhaust hose.
- 66% lighter airline – see below on this page for specific details.
- Added features of the swivel adapter, Dynabrade's button-release coupler.

