Dynabrade Belt Tools



18025 Kit

Auto File TT

Model 18100

- Includes 11206 Contact Arm for 3/4" x 18" long coated abrasive and non-woven nylon belts. 1/2" x 18" long belts also fit.
- .5 hp gearless air motor. 20,000 RPM. 7° Offset design.

Additional contact arms available. Call for details. Grinding head pivots 360° 11203 Contact Arm

Four-In-One Versatility Kit

Model 18025

1/4" Die Grinder • 3" Cut-Off Tool Belt Sander • 3" Disc Sander

- · Quick and convenient, easy to change accessories.
- Includes: 18100 basic tool, 50010 Collet; 50292 Cut-Off Guard; 50269 Flange; 51347 3" Backing Pad (3/8"-24); 15352 Drive Wheel; 40014 Belt Housing Assembly; 11206 Contact Arm Assembly; 94300 Dynaswivel®; wrenches for accessory changes; sample abrasive belt and 3" abrasive disc; deluxe storage/carrying case.



Model	Motor	Motor	Sound	Maximum Air Flow	Air Inlet	Hose Size	Air Pressure	Weight	Length	Height
Number	hp	RPM	Level	CFM/SCFM	Thread	Inch	PSIG	Pound	Inch	Inch
18100	.5	20,000	79 dB(A)	3/22	1/4" NPT	3/8	90	2.8	15	5

Electric Dynafile® II

Model 40610

- Includes 11203 Contact Arm, for abrasive belts 1/2" wide by 18" long.
- Tool accepts over 20 interchangeable contact arms for use with belts 1/4" to 3/4" wide x 18" long.
- · Comfortable switch with "lock on" feature.
- Sanding head pivots 360°, for working in previously inaccessible areas.
- · Reversible side handle for operator comfort.
- Tool is double-insulated for safety, and includes electric cord, 8 feet in length.

Versatility Kit

Model 40611

Includes 40610 Electric Dynafile® II with 11203
 Contact Arm, and two additional arms (11202 and 11204). Also includes eight abrasive belts of various grits, and an assortment of platen pads. All items contained in a durable carrying case.





Model Number	Motor RPM	Maximum Watts Out	Abrasive Belt Size Inch (mm)	Voltage	Current Amps	Phase	Frequency	Weight Pound (kg)	Length Inch (mm)	Height Inch (mm)
40610	11,000	680	1/4-3/4 (6-19) W x 18-24 (457-610) L	120 V (AC)	6	1	60 Hz	5 (2.3)	19 (483)	5.5 (140)

Additional Specifications: Maximum 2,520 SFPM (768 SMPM)