# **Dust Collection Systems** from Dynabrade

## **Portable Vacuum Systems and Accessories**



## **Electric Portable Vacuum Systems**

## Ideal for Use with Dynabrade Vacuum-Ready Air Tools – 9.9 Gallon (36 Liter) Capacity

Introducing Dynabrade's Electric Portable Vacuum Systems, newly designed with an array of user friendly features. Ready for connection to Dynabrade Vacuum-Ready tools, these systems efficiently remove dust and debris, while providing a versatility and portability unique to Dynabrade!

#### Variable Vacuum Control (All Electric Models)

Adjust your vacuum flow, based on type of tool and work surface.

#### **Automatic ON/OFF**

*(All Electric Models)* Vacuum starts and stops with use of tool. Saves time and conserves energy!

#### **H.E.P.A. Filtration**

*(All Electric Models)* Retains 99.97% of ultra-fine particles (High Efficiency Particulate Air), as small as 0.3 microns in diameter.

#### Extra Thermal // Protection Device

(USA/Canadian Electric Models only) Additional safeguard against overload of electronic motor.

## **Two-Tool Setup**

(All Electric Models) Connect and operate two tools simultaneously! Allows more efficient use of workshop space.

#### Electronic Thermal Protection Device (All Electric Models) Prevents overload of electronic motor.



#### "Tilt 'n Clean" Drum (All Electric Models)

Drum easily tilts backward for quick emptying. Requires no heavy lifting or tiresome bending!

## Two Innovative 20' Coaxial Hoses

*(All Electric Models)* Lightweight hose assemblies with unique features. (See page 5.)

## Model 61300 9.9 Gallon/36 Liter, Dry Vacuum, Electric

YNABRADE

Model Number	Capacity Gallon (Liter)	Voltage / Frequency	Watts	Plug (Region)	Air Pressure PSIG (Bar)	Water Static Lift Inch/cm/mbar	Sound Level	Shipping Weight Ibs. (kg)	Height Inch (cm)	Width Inch (cm)
61300	9.9 (36)	120V/60 Hz	1300	US (US/Canada)	90 (6.2)	90/229/230	76 dB(A)	48.4 (22)	38-1/2 (98)	20-7/8 (53)
61302	9.9 (36)	230V/50 Hz	1400	UK (UK)	90 (6.2)	90/229/230	76 dB(A)	48.4 (22)	38-1/2 (98)	20-7/8 (53)
61304	9.9 (36)	110V/60 Hz	1300	UK (UK)	90 (6.2)	90/229/230	76 dB(A)	48.4 (22)	38-1/2 (98)	20-7/8 (53)
61306	9.9 (36)	230V/50 Hz	1400	CEE7/XVII (Europe)	90 (6.2)	90/229/230	76 dB(A)	48.4 (22)	38-1/2 (98)	20-7/8 (53)
61308	9.9 (36)	230V/50 Hz	1400	None (International)	90 (6.2)	90/229/230	76 dB(A)	48.4 (22)	38-1/2 (98)	20-7/8 (53)

## **Electric Portable Vacuum Systems**

Ideal for Use with Dynabrade Vacuum-Ready Air Tools – 17 Gallon (64 Liter) Capacity

#### Maximum Vacuum Suction

*(All Electric Models)* Offers 90" (229 cm/230 mbar) of water static lift.

## Unbreakable Clamps

*(All Electric Models)* For easy connection of drum to motor head assembly. Drum can also be removed for special application or location.

Heavy Duty Stainless Steel Vacuum Drum (All Electric Models) Unsurpassed rust-free durability!

Front Swivel Wheels (All Electric Models)



#### Heavy-Duty Four Wheel Trolley (All Electric Models)

The ultimate in portability! Vacuum unit effortlessly glides from one workstation to another.

#### **TWO YEAR** Limited Warranty! (All Electric Models) Dynabrade backs our quality

Dynabrade backs our quality with twice the coverage of competitive models!

Model 61301 17 Gallon/64 Liter, Dry Vacuum, Electric

DYNABRADE

Model Number	Capacity Gallon (Liter)	Voltage / Frequency	Watts	Plug (Region)	Air Pressure PSIG (Bar)	Water Static Lift Inch/cm/mbar	Sound Level	Shipping Weight Ibs. (kg)	Height Inch (cm)	Width Inch (cm)
61301	17 (64)	120V/60 Hz	1300	US (US/Canada)	90 (6.2)	90/229/230	76 dB(A)	61.6 (28)	44-7/8 (114)	27-5/8 (70)
61303	17 (64)	230V/50 Hz	1400	UK (UK)	90 (6.2)	90/229/230	76 dB(A)	61.6 (28)	44-7/8 (114)	27-5/8 (70)
61305	17 (64)	110V/60 Hz	1300	UK (UK)	90 (6.2)	90/229/230	76 dB(A)	61.6 (28)	44-7/8 (114)	27-5/8 (70)
61307	17 (64)	230V/50 Hz	1400	CEE7/XVII (Europe)	90 (6.2)	90/229/230	76 dB(A)	61.6 (28)	44-7/8 (114)	27-5/8 (70)
61309	17 (64)	230V/50 Hz	1400	None (International)	90 (6.2)	90/229/230	76 dB(A)	61.6 (28)	44-7/8 (114)	27-5/8 (70)

## **Pneumatic Portable Vacuum Systems**

Ideal for Use with Dynabrade Vacuum-Ready Air Tools – 10 Gallon (37.8 Liter) Capacity



## Vacuum Hose Swivel Adapter

Adds Flexibility to Your Vacuum Hose Connection



# **Coaxial Vacuum Hose Assemblies**

*Compared to the Competition:* 

2 - 4' Longer
2 lbs. (1 kg) Lighter

More Flexible Air Hose


66% Lighter Space-Age Airline

 Added Features of the Swivel Adapter, Dynabrade's Button-Release Coupler

## For Dynabrade Vacuum Systems

## 94941


### 1-1/4" (32mm) x 20' (6m)



1-1/4" Vac Hose

## For Non-Dynabrade Vacuum Systems (ie. FESTO® or WAP®) 94943 1-1/4" (32mm) x 20' (6m)

Cuff with Air Line Exit



Dynabrade Female Plug

P/N 95677

#### 

1-1/4" Vac Hose

## **Filter Elements**

## **Replacement Filter Elements for Portable Vacuum Systems**

## **Standard Filter Elements**

## 64683

Swivel Adapter

P/N 96573

Cuff

P/N 95800

#### 1 Micron

• Portable Vacuum System Compatibility: Models 61300, 61301, 61302, 61303, 61304, 61305, 61306, 61307, 61308 and 61309.

## 64602

#### 1 Micron

• Portable Vacuum System Compatibility: Models 64600 and 64605.

## 64626

- 1 Micron
- Portable Vacuum System Compatibility: Model 64625.

## H.E.P.A. Filter Elements 64684

Cuff with Air Line Exit

## 0.3 Micron

• Portable Vacuum System Compatibility: Models 61300, 61301, 61302, 61303, 61304, 61305, 61306, 61307, 61308 and 61309.

## 64609

## 0.3 Micron

• Portable Vacuum System Compatibility: Models 64600 and 64605.

## 64619

## 0.3 Micron

• Pneumatic Portable Vacuum System Compatibility: Model 64625.

# Hose Cuffs

## **Compatible with Dynabrade Vacuum Tools**

Cuff No.	Hose Connection	Tool Connection	Insert	Dynabrade Vacuum Tool Compatibility
95396	1" Thread	1" I.D. Non-Thread	-	Self-Generated Vacuum Palm-Style Random Orbital Sanders; Vac Dynabug $^{\circ}$ , Dynabug $^{\circ}$ "Model T", Dynabug $^{\circ}$ II, Dynaline, Dynafile $^{\circ}$ II
95800	1-1/4" Thread	1-1/4" I.D. Non-Thread	Optional	Self-Generated Vacuum Two-Hand Random Orbital Sanders; Vacuum DynaLocke® Sanders
95894	1-1/4" Thread	1" I.D. Non-Thread	Included	Central Vacuum Random Orbital Sanders (Palm-Style and 6" Dia. Two-Hand); 6" Dia. Central Vac Two-Hand Gear-Driven Sanders

## **Cuffs for other Tool/Hose Configurations**

Cuff No.	Hose Connection	Tool Connection	Insert
95601	3/4" Thread	3/4" I.D. Non-Thread	-
54208	1" Thread	1-1/4" I.D. Non-Thread	-
96412	1-1/4" Thread	1-1/4" Thread	-
96413	1-1/4" Thread	1-1/2" Thread	-
96102	1-1/2" Thread	1-1/4" I.D. Non-Thread	Optional
96103	1-1/2" Thread	1" I.D. Non-Thread	-
96104	1-1/2" Thread	1" I.D. Non-Thread	-
96414	1-1/2" I.D. Non-Thread	1-1/4" Thread	-
95700	2" Thread	1-1/4" I.D. Non-Thread	Optional
97051	2" I.D. Non-Thread	1-1/2" Thread	-
64616	2-1/4" I.D. Non-Thread	1-1/4" Thread	_



Thread

— 2" Non-Thread

## 96580

95894

#### 2" to 1-1/4"

- For connecting tools with 2" vacuum port to Dynabrade Portable Vacuum.
- Use to connect Dynabrade 8" dia. Central Vacuum Random Orbital and Gear-Driven Sanders.

NOTE: Part Number 95700 includes 95699 Cuff Adapter and 95698 2" Swivel Cuff. Part Number 64616 is a swivel cuff.

## **Dust Collection Receptacles**

## Helps to Keep Work Area Clean by Trapping Vacuum Particles

## Mini-Reusable Felt Bag

## 50694

- New bag design features a one micron filter rating.
   Bag traps over 99% of vacuum particles one micron or larger.
- 11" long x 3" wide. End opens up no need to remove bag from tool when emptying.

## Reusable Feit Bag Hook 'n Loop End

## 50683

- New bag design features a one-micron filter rating. Bag traps over 99% of vacuum particles one-micron or larger.
- 14-1/2" long x 7-1/2" wide.

## "Bag-In-Bag" System

## 54288

- 50692 Disposable Vacuum Bag fits inside reusable 50697 Mesh-Style Bag, which attaches to operator's belt for added maneuverability. Also includes: - 50682 Flex Hose (1" dia. x 6' long)
  - 95361 Air Line (1/4" dia. x 5' long)
  - 94996 Belt Strap

## **Durable Box Receptacle**

## 95575

- A pre-punched hole accepts 1" diameter Dynabrade vacuum hoses.
- Receptacle houses a throw-away paper vacuum bag.
- Paper bag reorder (50692 400/case), (50693 24/pkg).

## Reusable Felt Bag Zipper-Lock End

## 56304

- New bag design features a one micron filter rating. Bag traps over 99% of vacuum particles one-micron or larger.
- 14-1/2" x 7-1/2" wide.





50692 Disposable Bag



## Vacuum and Hose Accessories

## Vacuum Edge Guard

### 61361

 Non-marring protective edge allows vacuum unit to be placed on finished surfaces.

NOTE: For use with 9.9 gal./36 ltr. models only.



## **Overhose Assembly**

• Reduce noise levels by as much as 5 dB(A). Overhose redirects exhaust away from operator and workpiece.

#### 94994

#### 1-1/4" Dia. x 3' Long

• For disc sanders and die grinders with our short muffler.

## 53621

- 1-3/4" Dia. x 3' Long
- Use with 1 hp disc sanders and die arinders.

## Air Line/Vac Hose Adapter

## 96020

#### 1-1/2" Dia. x 18" Long

- Allows Dynorbital<sup>®</sup> Supreme (Palm-Style or Two-Hand) to be coupled with European vacuum system.
- 95847 Exhaust Hose: 1-1/2" diameter. 96104 Hose Cuff with air line port.
- 96019 Air Line: 1/4" dia. x 18" long. 96102 Hose Cuff.



## Air Hose Assembly

## 94876

96568

#### 8 mm Dia. x 25' (7.6 m) Long - 48 SCFM (1,359 LPM)

- . Use this assembly to connect an FRL to a Dynabrade tool for optimum results.
- Air line is 66% lighter than conventional PVC and rubber hoses.
- Reinforced hose is made of an anti-abrasive PU and thermoplastic rubber compound.
- High flexibility and narrow bending radius of hose prevent choking.
- High resistance to ozone, hydrocarbons, fats, oils, and slightly aggressive chemical products.

## **Overhose Water Line Assembly** 95801

### 1" Dia. x 4-1/2' Long

- 95596 Flex Hose (1" dia. x 4-1/2' long with cuff).
- 95361 Air Line (1/4" dia. x 5' long).
- 95579 Water Line Assembly (10' long with fittings).
- 95362 Rubber Connectors. Use with Wet Sanders.

## **Exhaust Hose Assembly**

## 95820

#### 1" Dia. x 10' Long

- 95709 Flex Hose: 1" dia. x 10' long with cuffs. 95816 Air Line: 1/4" dia. x 11' long.
- 95362 Rubber Connectors.
- Use with Dynorbital® Sanders.

## Hose Cover

## 95986


#### 5" Long Cloth Cover

- · Covers air line and exhaust/vacuum hoses (not included).
- Eliminates damage from hoses dragging on the workpiece.

## **Rubber Connectors** 95362

- **5 Per Package**
- Used to strap tool air line to tool's exhaust hose for easy "all-in-one" maneuverability.







## 96569

Air Hose by the Meter Air Hose by the Foot

## Vacuum Accessories

## Vacuum Trav

- · A convenient, heavy duty storage tray for work-related items.
- Shown with optional 96581 Hanger, ideal for hanging vacuum hoses.

### 96567

9.9 gal./36 ltr.

#### 96563 17 gal./64 ltr.



## Vacuum Cleaning Kit

## 96558

Disposable

- Includes 6' long x 1-1/4" dia. vacuum hose, curved handle and two extension pipes along with round brush, crevis tool and coarse dirt nozzle attachments.
- For use with all Electric Portable Vacuums.
- 64621 Cleaning Kit is available, for use with discontinued Vacuums 64600 and 64605.



( )

## **Replacement Brushes**

80057 110 V - 60 Hz. (Qty. 2)

80058 230 V - 50 Hz. (Qty. 2)

## Locking-Front Wheel Assembly

## 80051

 Lock Vacuum in place with the simple ease of a push-lock system.



## **"Y" Vacuum Connector**

## 64686


· Allows two tools to be connected to the same Portable Vacuum System.



## Wall Mount Bracket

## 96534

· Keep vacuum off floor and convenient for use. Note: For use with 9.9 gal./36 ltr. models only.



le Bags	Part Number	Description	For Use With
	50692	1 - 2 Micron (400/case)	95575 Bag 'n Box System and 54288 Bag 'n Bag System
THIS SIDE UP	50693	1 - 2 Micron (24/pkg.)	95575 Bag 'n Box System and 54288 Bag 'n Bag System
Horiton	64682	5 Micron (10/pkg.)	Portable Vacuum Models 61300, 61302, 61304, 61306 and 61308
	80076	5 Micron (10/pkg.)	Portable Vacuum Models 61301, 61303, 61305, 61307 and 61309
	64627	Plastic (12/pkg.)	Portable Vacuum Model 64625
50692	64601	5 Micron (5/case)	Portable Vacuum Model 64600 (discontinued)
50092	64606	5 Micron (5/case)	Portable Vacuum Model 64605 (discontinued)









## Visit our Website for more Tools and Related Accessories www.dynabrade.com

DYNABRADE, INC. 8989 Sheridan Drive • Clarence, New York 14031-1490 • Phone: (716) 631-0100 Fax: 716-631-2073 • US Consumers Call Toll Free: 1-800-828-7333

#### **DYNABRADE INTERNATIONAL**

8989 Sheridan Drive • Clarence, New York 14031-1490 • Phone: (716) 631-0100 Fax: 716-631-2524 • Canadian Consumers Call Toll Free: 1-800-344-1488

#### DYNABRADE EUROPE S.à r.l.

Zone Artisanale • L-5485 Wormeldange-Haut, Luxembourg Phone: +352 768 494 1 • Fax: +352 768 495

#### **DYNABRADE DO BRASIL**

Rua Oneda, 632 • Sao Bernardo do Campo • SP - CEP 09895-280 Phone (11) 4390-0133 • Fax (11) 4399-1067

