

NEW Raised Panel Sanding Pad

Dynabrade offers a new Sanding Pad that adds even more versatility to our Dynafine® Detail Sander and Wet Dynafine®!

This pad has a unique rectangular shape (4" x 3/4" / 102 mm x 19 mm) with angled edges, ideal for sanding into tight corners and on raised edges of panels. This is a premium urethane, medium density hook-face pad (1/2" / 13 mm thick), which accepts both coated abrasive and non-woven nylon sheets.

Pad Descriptions

57956

 Raised Panel Pad Assembly (pad, adapter for mounting to tool, two mounting screws). Assembly is included with 57906 Dynafine® Detail Sander, and can also be used on 57900 Dynafine® and 57902 Wet Dynafine®.

98292

 Adapter for mounting to tool and two mounting screws (pad not included).

57905

 Raised Panel Pad Kit (includes 57956 Pad, adapter, two mounting screws, and two each of Coated Abrasive Sheets 93670, 93671, 93672 and 93673).

57906 Dynafine® Detail Sander

Tool includes 57905 Raised Panel Pad Kit.

Coated Abrasive Sheets Hook-Face, Aluminum Oxide

93670 93671 120 Grit 150 Grit 93672 93673 180 Grit 220 Grit

Non-Woven Nylon Sheets





57956 Raised Panel Pad Assembly (pad, adapter for mounting to tool, two mounting screws).



Perfect for sanding raised panels and linear profiles.





Jynabrade Product Spotlight



Dynabrade Loop-Face Sanding Pads

2" and 3" Dia. Loop-Face Pads

For use with Dynabrade Dynafine® and Wet Dynafine®. Pads accept 3M Trizact™ and Hookit™ II Abrasives.

- Non-vacuum, 3/8" thick, medium density.
- Ideal for spot repair and removal of dust nibs on clearcoat and gelcoat paint systems.
- · Pads are sold separately.

58025

58026

2" (51 mm) Dia.

3" (76 mm) Dia.





5" and 6" Dia. Loop-Face Pads

For use with Dynabrade Random Orbital Sanders. Pads accept 3M Trizact™ and Hookit™ II Abrasives.

- 3/8" thick, medium density.
- Pads are sold separately.

Non-Vacuum Pads

56310

56312

5" (127 mm) Dia.

6" (152 mm) Dia.

Vacuum Pads

56311

56313

5" (127 mm) Dia.

6" (152 mm) Dia.

3M, Trizact and Hookit II are registered trademarks of 3M Company.





59020 Dynorbital-Spirit®



56826 Dynorbital® Supreme

Vacuum Pads for Mesh-Style Abrasives

5", 6" and 11" Diameter – for use with Dynabrade Random Orbital Sanders.

- Vacuum sanding pads accept mesh-style abrasives for improved finish and longer abrasive life.
- 13,000 RPM maximum operating speed. 5/16"-24 male thread, 3/8" thick.

56320


5" (127 mm) Dia.

56321

6" (152 mm) Dia.

53997

11" (279 mm) Dia.







Portable Vacuum Accessories

For use with Dynabrade's Electric Portable Vacuum Systems.

Vacuum Tray

- · A convenient storage shelf to place work related items.
- Shown with optional 96581 Hose Hanger (see below).

96567

(9.9 gal./36 ltr.)

96563


(17 gal./64 ltr.)



Vac Tray Hose Hanger

96581

- · Easily installed onto Vacuum Tray.
- · A convenient hanger for vacuum hoses.



Replacement Brushes

80057

110 V - 60 Hz. (Qty. 2)

80058

230 V - 50 Hz. (Qty. 2)



Disposable Vacuum Paper Bags

64682

(9.9 gal./36 ltr.) 10/Pkg.

80076

(17 gal./64 ltr.) 10/Pkg.



Vacuum Edge Guard

61361

 Non-marring protective edge allows vacuum unit to be placed on finished surfaces.



Note: For use with 9.9 gal./36 ltr. models only.

Hose Cuffs

 Dynabrade offers a complete line of hose cuffs and reducers. Refer to our current catalog for more information.







"Y" Vacuum Connector

64686

 Allows two tools to be connected to the same Portable Vacuum System.



Locking Front Wheel Assembly

80051

 Lock Vacuum in place with the simple ease of a push-lock system.



Vacuum Cleaning Kit

96558

 Includes hose, curved handle, extension pipe (2), round brush, crevis tool and coarse dirt nozzle.




Wall Mount Bracket

96534

 Keep vacuum off floor and convenient for use.

Note: For use with 9.9 gal./36 ltr. models only.



Vacuum Filters

 Easily installed; keep filters clean to ensure proper suction.

64684

H.E.P.A. Filter

64683

Standard Filter





DynaMitt Sanding Glove

Put sanding in the palm of your hand!

58005 DynaMitt

- Palm side of DynaMitt accepts hook-face abrasive sheets (sold separately). Hand-sanding has never been easier!
- Ideal for sanding contours!
- Easily control pressure and sanding coverage.
- Includes rubber insert for more rigid applications.
 Insert fits into pocket under hook-face area.
- Complete range of abrasive sheets available from Dynabrade.



• Includes 58005 DynaMitt and rubber insert, plus 93889 Abrasive Sheet Sample Kit (13 abrasive sheets in various grits).





NEW Video Repair Demonstrations on CD-ROM

Each disc features clear, step-by-step maintenance and repair instructions.

- Conduct a Dynabrade Repair Clinic anytime at your convenience!
- NEW Repair CD's available:
 - 0.7 hp Air Motor (CD Part No. 98475)
 - Dynorbital[®] Supreme (98476)
 - Two-Hand Random Orbital Sander (98477)
 - Two-Hand Gear-Driven Sander (98478)
 - DynaLocke® Dual Action Sander (98479)
- · Available at no charge.

Please note: CD-ROM discs are available in limited quantities. Please order only as needed.

Computer system requirements: Windows Media Player 9 or 10; or QuickTime 6 or 6.5





Visit our Website for more Tools and Related Accessories www.dynabrade.com

DYNABRADE, INC.

8989 Sheridan Drive • Clarence, New York 14031-1490 • Phone: (716) 631-0100 Fax: 716-631-2073 • *US Consumers Call Toll Free: 1-800-828-7333*

DYNABRADE INTERNATIONAL

8989 Sheridan Drive • Clarence, New York 14031-1490 • Phone: (716) 631-0100 Fax: 716-631-2524 • Canadian Consumers Call Toll Free: 1-800-344-1488

DYNABRADE EUROPE S.à r.I.

Zone Artisanale • L-5485 Wormeldange—Haut, Luxembourg Phone: +352 768 494 1 • Fax: +352 768 495

DYNABRADE DO BRASIL

Rua Oneda, 632 • Sao Bernardo do Campo • SP - CEP 09895-280 Phone (11) 4390-0133 • Fax (11) 4399-1067 Try Our U.S. Consumer Toll Free Number 1-888 DYNABRADE (or 1-800-828-7333)
DISTRIBUTED BY:







