

Dynabrade Product Spotlight



NEW Products Featured in 2007 Dynabrade Catalog

Comfort Platform

Now included on all palm-style Dynorbital-Spirit® and Dynorbital® Supreme Random Orbital Sanders, and Dynabug®II Orbital Sanders!

- New Comfort Platform provides additional hand and wrist support, further enhancing operator comfort. Also offers increased protection against cold air exhaust. (NOTE: Comfort Platform is removable.)

Order 59330 Comfort Platform separately, to install on existing tools!

See Catalog Pages 46-48, 50-51, 70-71



NEW!

HiVac Dynorbital-Spirit®

3" diameter HiVac Dynorbital-Spirit® efficiently vacuums through 3-hole sanding pad and unique shroud design.

Self-Generated Vacuum


Model 59116 3/32" Orbit

- Includes 56144 Vacuum Sanding Pad (3 holes, medium density hook-face).

Central Vacuum

Model 59118 3/32" Orbit

- Includes 56144 Vacuum Sanding Pad (3 holes, medium density hook-face).



**3/32" (2.5 mm)
Dia. Orbit
(Models pictured)**

NEW!



**56144 Vacuum Pad
(All HiVac models)**

See Catalog Page 48

Dynabrade Product Spotlight

Dynastraight® Versatility Kits

13215 Kit

- Includes 13214 Dynastraight® (4,500 RPM), 92921 DynaWheel (5" dia. x 1" wide), 98091 "DynaPump" inflation tool and 89186 Coated Abrasive Belt (60 grit).



13535 Kit

- Includes 13523 Dynastraight® (4,500 RPM), 92867 DynaWheel (5" dia. x 1-1/2" wide), 98091 "DynaPump" inflation tool and three 89182 Coated Abrasive Belts (60 grit).



13525 Kit

- Includes 13505 Dynastraight® (3,400 RPM), 94472 Dynacushion® (5" dia. x 3-1/2" wide), 98091 "DynaPump" inflation tool, two Coated Abrasive Belts and one Non-Woven Nylon Belt.



See Catalog Page 33

DynaRover NEW!

Model 13340

- Dynabrade has engineered a walk-behind tool affixed with 13509 Dynastraight® (sold separately) and 3M™ Scotch-Brite™ Bristle Brushes (sold separately), to effectively clean surfaces, such as removing corrosion from weld seams on ship decks.



(DynaRover shown with optional 13509 Dynastraight® and optional weight spindle.)



See Catalog Page 36

Industrial DynaZip

- Industrial DynaZip (3,500 RPM) delivers outstanding power and torque, accepting optional Wire Wheels (4" dia.) and optional Eraser Wheels (4" dia.), for countless material removal applications.
- Tool features three-position handle for the best in operator comfort.

Model 13280 3,500 RPM, Wire Wheel

- Tool with wheel guard and handle. Also includes 92245 Wire Wheel (4" dia. x 3/4" wide) and 92284 Hub Assembly.

Model 13320 3,500 RPM, Eraser Wheel

- Tool with wheel guard and handle. Also includes 92255 Eraser Wheel (4" dia. x 1-3/16" wide) and 92284 Hub Assembly.



See Catalog Page 43

Dynabrade Product Spotlight

25,000 RPM Pencil Grinders

NEW!

- An ideal tool for use in casting houses, effective on cast parts of aluminum, bronze and brass. Quickly and efficiently removes gates and parting lines in cast parts.
- High-efficiency rotary vane air motor.
- Adjustable tool speed from 5,000 RPM to 25,000 RPM.

Model 52861
1/8" Collet

Model 52862
3 mm Collet

Model 52863
1/4" Collet

Model 52864
6 mm Collet

See Catalog Page 92



Rotary Vane Pencil Grinder is ideal for precision deburring.



1 hp Extension Grinders

- Extension Grinders allow operator to extend into work pieces and reach lengthy distances.
- Extension length of 8-3/8" allows longer reach than competitive models!
- Extensions are constructed of steel for maximum durability.
- Designed for minimal vibration. Extensions do not spin during tool use, so continuous tightening is not needed (as with some one-piece shaft-type extensions).

Model 53521
3,400 RPM, 19-3/4" Length

Model 53531
18,000 RPM, 18-3/8" Length

Model 53522
3,400 RPM, 28-1/8" Length

Model 53532
18,000 RPM, 26-3/4" Length

Model 53523
3,400 RPM, 36-1/2" Length

Model 53533
18,000 RPM, 35-1/8" Length



See Catalog Page 109

Vacuum Cut-Off Wheel Tools

3" Diameter, Right Angle, .4 hp, 12,000 RPM

Model 52538 Rear Exhaust

- Ideal for use with optional 3" diameter Diamond Cut-Off Wheels.
- Adjustable wheel guard has vacuum port (1" outside diameter) that diverts airborne dust and debris to optional vacuum source.

5" Diameter, Right Angle, 1 hp, 12,000 RPM

Model 52438 Rear Exhaust

- Ideal for use with optional 5" diameter Diamond Cut-Off Wheels.
- Adjustable wheel guard has vacuum port (1-1/4" outside diameter) that diverts airborne dust and debris to optional vacuum source.

See Catalog Page 129

NEW!



Wheels Sold Separately

Dynabrade Product Spotlight

Bandsaw Blade Grinder

- Dynabrade's Bandsaw Blade Grinder powers a large abrasive belt (1-1/2" wide x 104" long) through an efficient process for removing weld slag quickly and easily!
- 3-in-1 work station allows operator to remain in one position for entire process.
- Design ensures consistent efficiency by minimizing operator variables.
- Automatic depth-stop prevents overgrinding of blade.
- Accepts bandsaw blades up to 1-1/2" wide.



Model
64500

120 V (AC)

NEW!

See Catalog Page 148

Wet Deburring Station

Model 64100 120 V (AC), Tabletop Design

- Wet Deburring Station offers a wet filtration system to capture potentially combustible filings and dust in an air/water mixing zone. By entrapping these particles in water, the potential flammability of the workplace is reduced.
- Greatly decreases work area's potential flammability when deburring volatile materials.
- Unique tabletop design not offered by other manufacturers.
- Can be placed on cart for transportability to every work station.
- Dual grinding wheel capability. Electric motor is sold separately.

NEW!



Model
64100

See Catalog Page 149

For Complete Details Order NEW Dynabrade Catalog, No. D07.01!



DYNABRADE, INC.

8989 Sheridan Drive • Clarence, New York 14031-1490 • Phone: (716) 631-0100
Fax: 716-631-2073 • US Consumers Call Toll Free: 1-800-828-7333

DYNABRADE INTERNATIONAL

8989 Sheridan Drive • Clarence, New York 14031-1490 • Phone: (716) 631-0100
Fax: 716-631-2524 • Canadian Consumers Call Toll Free: 1-800-344-1488

DYNABRADE EUROPE S.à r.l.

Zone Artisanale • L-5485 Wormeldange—Haut, Luxembourg
Phone: +352 768 494 1 • Fax: +352 768 495

DYNABRADE DO BRASIL

Rua Oneda, 632 • Sao Bernardo do Campo • SP - CEP 09895-280
Phone 55-11-4390-0133 • Fax 55-11-4399-1067

Visit our Website for more Tools and Related Accessories
www.dynabrade.com

© DYNABRADE, INC., 2007

**Try Our U.S. Consumer Toll Free Number
1-888 DYNABRADE (or 1-800-828-7333)**

DISTRIBUTED BY:

