



## **BANDS**

|                             |     |
|-----------------------------|-----|
| Coated Abrasive Bands ..... | 214 |
| Non-Woven Nylon Bands ..... | 214 |

## **BELTS**

|                             |     |
|-----------------------------|-----|
| Coated Abrasive Belts ..... | 209 |
| Cloth Polishing Belts ..... | 213 |
| Non-Woven Nylon Belts ..... | 212 |

## **DISCS**

|                                             |     |
|---------------------------------------------|-----|
| 3M™ Clean 'n Strip™ Discs .....             | 218 |
| Coated Abrasive Discs .....                 | 216 |
| Non-Woven Nylon Discs .....                 | 215 |
| NewEdge Scalloped-Edge Abrasive Discs ..... | 215 |
| Scotch-Brite™ Bristle Discs .....           | 218 |

## **FLAPS**

|                             |     |
|-----------------------------|-----|
| Dynascaler Flaps, Hub ..... | 221 |
|-----------------------------|-----|

## **FILES**

|                           |     |
|---------------------------|-----|
| Reciprocating Files ..... | 223 |
|---------------------------|-----|

## **ROLLS**

|                             |     |
|-----------------------------|-----|
| Coated Abrasive Rolls ..... | 221 |
|-----------------------------|-----|

## **SAW BLADES**

|                                         |     |
|-----------------------------------------|-----|
| Bi-Metal Reciprocating Saw Blades ..... | 223 |
|-----------------------------------------|-----|

## **SHEETS**

|                              |     |
|------------------------------|-----|
| Coated Abrasive Sheets ..... | 220 |
| DynaMitt Sheets .....        | 221 |
| Non-Woven Nylon Sheets ..... | 221 |

## **STARS**

|                                     |     |
|-------------------------------------|-----|
| Coated Abrasive Sanding Stars ..... | 219 |
|-------------------------------------|-----|

## **STRIPS**

|                              |     |
|------------------------------|-----|
| Coated Abrasive Strips ..... | 220 |
|------------------------------|-----|

## **WHEELS**

|                                       |     |
|---------------------------------------|-----|
| 3M™ Green Corps™ Cut-Off Wheels ..... | 222 |
| Coated Abrasive Flap Wheels .....     | 219 |
| Depressed Center Wheels .....         | 222 |
| Diamond Cut-Off Wheels .....          | 222 |
| Non-Woven Nylon Wheels .....          | 218 |

***Continued Leadership In Portable Abrasive Power Tool Technology***

***[www.dynabrade.com](http://www.dynabrade.com)***

# Coated Abrasive Belts

For Use With Portable Belt Tools

The Choice is Yours!

Dynabrade offers abrasive belts in three varieties to fit the preference & budget of every operator

3M

**3M 577F**



Premium grade belts. The 577F Cubicut Polycut is a premium grade of zirconia alumina from 3M.

The self-sharpening

characteristic of the microcrystalline structure is combined with heavy strength polyester cloth making these belts superior. We recommend these belts for optimum performance on our tools.

DC

**Dynacut**



These zirconia alumina abrasive belts cut faster and last longer than most coated abrasive products when grinding steel or

stainless steel with Dynabrade small belt tools. The belts are very sharp and are excellent for use on most metals, including aluminum and titanium, when lubricated properly (use Dynüba 100 spray lubricant; part number 60000).

A/O

**Aluminum Oxide**



Abrasive belts constructed of the most popular man-made abrasive: aluminum oxide. Aluminum oxide is

tough and known for its high speed penetration of materials such as carbon steel, alloy steel, tough bronze and hard wood without excessive fracturing of the grain. Excellent all-around abrasive belts for everyday use.

## Coated Abrasive Belts

| Length                       | For Use With These Dynabrade Tools                                                                                         | Width                    | 40 Grit    | 60 Grit | 80 Grit | 120 Grit | 180 Grit | 220 Grit | 320 Grit |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------|--------------------------|------------|---------|---------|----------|----------|----------|----------|
| <b>7-1/2"</b><br>(191 mm)    | <b>2-1/4" Dia. Pneumatic Wheels</b><br> | <b>3"</b><br>(76 mm)     | <b>3M</b>  | —       | 90631   | 90632    | 90633    | —        | —        |
|                              |                                                                                                                            |                          | <b>A/O</b> | —       | —       | —        | —        | 90634    | 90635    |
| <b>9-3/4"</b><br>(248 mm)    | <b>3" Diameter Pneumatic Wheels</b><br> | <b>2-1/4"</b><br>(57 mm) | <b>DC</b>  | —       | 92260   | 92261    | 92262    | —        | —        |
|                              |                                                                                                                            |                          | <b>3M</b>  | 89150   | 89151   | 89152    | 89153    | —        | —        |
| <b>10-11/16"</b><br>(271 mm) | <b>3-1/4" Dia. Pneumatic Wheels</b><br> | <b>3"</b><br>(76 mm)     | <b>DC</b>  | 92100   | 92101   | 92102    | 92103    | —        | —        |
|                              |                                                                                                                            |                          | <b>A/O</b> | —       | 90613   | 90614    | 90615    | 90268    | 90269    |
|                              |                                                                                                                            | <b>7"</b><br>(178 mm)    | <b>A/O</b> | —       | —       | —        | 90600    | 90601    | —        |
|                              |                                                                                                                            |                          | <b>A/O</b> | —       | —       | —        | 90600    | 90601    | 90602    |
| <b>12"</b><br>(305 mm)       | <b>Mini-Dynaflex® II</b><br>            | <b>1/8"</b><br>(3 mm)    | <b>3M</b>  | —       | —       | 89002    | 89003    | —        | —        |
|                              |                                                                                                                            |                          | <b>DC</b>  | —       | —       | 92206    | 92207    | —        | —        |
|                              |                                                                                                                            |                          | <b>A/O</b> | —       | —       | —        | —        | 92208    | 92209    |
|                              |                                                                                                                            | <b>1/4"</b><br>(6 mm)    | <b>3M</b>  | 89005   | 89006   | 89007    | 89008    | —        | —        |
|                              |                                                                                                                            |                          | <b>DC</b>  | 92105   | 92106   | 92107    | 92108    | —        | —        |
|                              |                                                                                                                            |                          | <b>A/O</b> | —       | 91425   | 91426    | 91427    | 92118    | 92119    |
| <b>1/2"</b><br>(13 mm)       |                                         | <b>1/2"</b><br>(13 mm)   | <b>3M</b>  | 89010   | 89011   | 89012    | 89013    | —        | —        |
|                              |                                                                                                                            |                          | <b>DC</b>  | 92110   | 92111   | 92112    | 92113    | —        | —        |
| <b>1/2"</b><br>(13 mm)       |                                         | <b>1/2"</b><br>(13 mm)   | <b>A/O</b> | —       | 91428   | 91429    | 91430    | 92114    | 92115    |
|                              |                                                                                                                            |                          | <b>A/O</b> | —       | 91428   | 91429    | 91430    | 92114    | 92116    |



# Coated Abrasive Belts (Cont'd)

For Use With Portable Belt Tools

**3M** 3M 577F

**DC** Dynacut

**A/O** Aluminum Oxide

| Length                                                                              | For Use With These Dynabrade Tools                                                                |                                                                                     | Width                                                                               | 40 Grit                                                                                                                                                                                                                                                                                                                                                                                                                            | 60 Grit                                                                           | 80 Grit | 120 Grit | 180 Grit | 220 Grit | 320 Grit |       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------|----------|----------|----------|----------|-------|
| 15-1/2"<br>(394 mm)                                                                 | 5" Diameter<br>Pneumatic Wheels                                                                   |    |    | 3M                                                                                                                                                                                                                                                                                                                                                                                                                                 | 89185                                                                             | 89186   | 89187    | 89188    | —        | —        | —     |
|                                                                                     |                                                                                                   |                                                                                     |                                                                                     | DC                                                                                                                                                                                                                                                                                                                                                                                                                                 | 90194                                                                             | 90195   | 90196    | 90197    | —        | —        | —     |
|                                                                                     |                                                                                                   |                                                                                     |    | 3M                                                                                                                                                                                                                                                                                                                                                                                                                                 | 89181                                                                             | 89182   | 89183    | 89184    | —        | —        | —     |
|                                                                                     |                                                                                                   |                                                                                     |                                                                                     | DC                                                                                                                                                                                                                                                                                                                                                                                                                                 | 90190                                                                             | 90191   | 90192    | 90193    | —        | —        | —     |
|                                                                                     |                                                                                                   |                                                                                     |   | 3M                                                                                                                                                                                                                                                                                                                                                                                                                                 | —                                                                                 | 89166   | 89167    | 89168    | —        | —        | —     |
|                                                                                     |                                                                                                   |                                                                                     |                                                                                     | DC                                                                                                                                                                                                                                                                                                                                                                                                                                 | 90009                                                                             | 90017   | 90018    | 90020    | —        | —        | —     |
|                                                                                     |                                                                                                   |  | A/O                                                                                 | —                                                                                                                                                                                                                                                                                                                                                                                                                                  | 90076                                                                             | 90077   | 90078    | 90026    | 90011    | 90012    |       |
|                                                                                     |                                                                                                   |                                                                                     | 3M                                                                                  | —                                                                                                                                                                                                                                                                                                                                                                                                                                  | 89171                                                                             | 89172   | 89173    | 89174    | —        | —        |       |
|                                                                                     |                                                                                                   |                                                                                     | DC                                                                                  | —                                                                                                                                                                                                                                                                                                                                                                                                                                  | 90272                                                                             | 90273   | 90275    | —        | —        | —        |       |
|                                                                                     |                                                                                                   |                                                                                     | A/O                                                                                 | —                                                                                                                                                                                                                                                                                                                                                                                                                                  | 90353                                                                             | 90354   | 90355    | 90277    | 90338    | 90339    |       |
|                                                                                     |                                                                                                   |                                                                                     | 7"<br>(178 mm)                                                                      | A/O                                                                                                                                                                                                                                                                                                                                                                                                                                | —                                                                                 | —       | —        | 90603    | 90604    | —        | 90605 |
|                                                                                     |                                                                                                   |                                                                                     | 18"<br>(457 mm)                                                                     | <br>Dynafiler® II<br><br>Electric<br>Dynafiler® II<br><br>Dynafiler® III<br><br>Dynangle |  | 3M      | —        | —        | 89032    | 89033    | —     |
| DC                                                                                  | —                                                                                                 | —                                                                                   |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                   | 92230   | 92231    | —        | —        | —        |       |
| A/O                                                                                 | —                                                                                                 | 90211                                                                               |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                   | 92228   | 92229    | 92232    | 92233    | 92234    |       |
|  | 3M                                                                                                | 89035                                                                               |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                    | 89036                                                                             | 89037   | 89038    | —        | —        | —        |       |
|                                                                                     | DC                                                                                                | 92125                                                                               |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                    | 92126                                                                             | 92127   | 92128    | —        | —        | —        |       |
|                                                                                     | A/O                                                                                               | —                                                                                   |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                    | 91114                                                                             | 91115   | 91116    | 90224    | 90225    | 90226    |       |
|  | 3M                                                                                                | 89040                                                                               |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                    | 89041                                                                             | 89042   | 89043    | —        | —        | —        |       |
|                                                                                     | DC                                                                                                | 92130                                                                               |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                    | 92131                                                                             | 92132   | 92133    | —        | —        | —        |       |
|                                                                                     | A/O                                                                                               | —                                                                                   |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                    | 91117                                                                             | 91118   | 91119    | 90244    | 90245    | 90246    |       |
|  | 3M                                                                                                | 89045                                                                               |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                    | 89046                                                                             | 89047   | 89048    | —        | —        | —        |       |
|                                                                                     | DC                                                                                                | 92135                                                                               |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                    | 92136                                                                             | 92137   | 92138    | —        | —        | —        |       |
|                                                                                     | A/O                                                                                               | —                                                                                   |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                    | 91123                                                                             | 91124   | 91125    | 90254    | 90255    | 90256    |       |
|  | 3M                                                                                                | 89050                                                                               | 89051                                                                               | 89052                                                                                                                                                                                                                                                                                                                                                                                                                              | 89053                                                                             | —       | —        | —        |          |          |       |
|                                                                                     | DC                                                                                                | 92140                                                                               | 92141                                                                               | 92142                                                                                                                                                                                                                                                                                                                                                                                                                              | 92143                                                                             | —       | —        | —        |          |          |       |
|                                                                                     | A/O                                                                                               | —                                                                                   | 91126                                                                               | 91127                                                                                                                                                                                                                                                                                                                                                                                                                              | 91128                                                                             | 90288   | 90289    | 90290    |          |          |       |
| 20-1/2"<br>(521 mm)                                                                 | Dynafiler® II                                                                                     |  |  | DC                                                                                                                                                                                                                                                                                                                                                                                                                                 | 90640                                                                             | 90641   | 90642    | 90643    | —        | —        | —     |
| A/O                                                                                 | —                                                                                                 | —                                                                                   |                                                                                     | —                                                                                                                                                                                                                                                                                                                                                                                                                                  | —                                                                                 | 90334   | 90335    | 90336    |          |          |       |
| 24"<br>(610 mm)                                                                     | <br>Dynafiler® |  | 3M                                                                                  | —                                                                                                                                                                                                                                                                                                                                                                                                                                  | —                                                                                 | 89072   | 89073    | —        | —        | —        |       |
|                                                                                     |                                                                                                   |                                                                                     | DC                                                                                  | —                                                                                                                                                                                                                                                                                                                                                                                                                                  | —                                                                                 | 90456   | 90457    | —        | —        | —        |       |
|                                                                                     |                                                                                                   |                                                                                     | A/O                                                                                 | —                                                                                                                                                                                                                                                                                                                                                                                                                                  | 90405                                                                             | —       | —        | 90410    | 90411    | 90412    |       |
|                                                                                     |                                                                                                   |  | 3M                                                                                  | 89075                                                                                                                                                                                                                                                                                                                                                                                                                              | 89076                                                                             | 89077   | 89078    | —        | —        | —        |       |
|                                                                                     |                                                                                                   |                                                                                     | DC                                                                                  | 92155                                                                                                                                                                                                                                                                                                                                                                                                                              | 92156                                                                             | 92157   | 92158    | —        | —        | —        |       |
|                                                                                     |                                                                                                   |                                                                                     | A/O                                                                                 | —                                                                                                                                                                                                                                                                                                                                                                                                                                  | 91434                                                                             | 91435   | 91436    | 90423    | 90424    | 90425    |       |
|                                                                                     |                                                                                                   |  | 3M                                                                                  | 89080                                                                                                                                                                                                                                                                                                                                                                                                                              | 89081                                                                             | 89082   | 89083    | —        | —        | —        |       |
|                                                                                     |                                                                                                   |                                                                                     | DC                                                                                  | 92160                                                                                                                                                                                                                                                                                                                                                                                                                              | 92161                                                                             | 92162   | 92163    | —        | —        | —        |       |
|                                                                                     |                                                                                                   |                                                                                     | A/O                                                                                 | —                                                                                                                                                                                                                                                                                                                                                                                                                                  | 91437                                                                             | 91438   | 91439    | 90449    | 90451    | 90453    |       |



# Coated Abrasive Belts (Cont'd)

For Use With Portable Belt Tools

**3M** 3M 577F **DC** Dynacut **A/O** Aluminum Oxide

| Length                 | For Use With These Dynabrade Tools                                                                                               | Width        | 40 Grit  | 60 Grit | 80 Grit | 120 Grit | 180 Grit | 220 Grit | 320 Grit |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------|--------------|----------|---------|---------|----------|----------|----------|----------|
| 24" Cont'd<br>(610 mm) |  <p>Dynaflex® III</p>                           | 1" (25 mm)   | 3M 89085 | 89086   | 89087   | 89088    | —        | —        | —        |
|                        |                                                                                                                                  |              | DC 92165 | 92166   | 92167   | 92168    | —        | —        | —        |
|                        |                                                                                                                                  |              | A/O —    | —       | —       | —        | 90486    | 90487    | 90488    |
|                        |  <p>"Take-About" Sander</p>                     | 3" (76 mm)   | 3M 84829 | 84830   | 84831   | 84833    | —        | —        | —        |
|                        |                                                                                                                                  |              | DC 92170 | 92171   | 92172   | 92173    | —        | —        | —        |
|                        |                                                                                                                                  |              | A/O —    | —       | —       | —        | —        | —        | —        |
| 26-5/16" (610 mm)      | 8-1/4" Dia. x 9" Long Pneumatic Wheels                                                                                           | 9" (229 mm)  | A/O —    | —       | —       | 90606    | 90607    | —        | —        |
| 30" (762 mm)           |  <p>Dynabelter®</p>                            | 1/4" (6 mm)  | 3M 89095 | 89096   | 89097   | 89098    | —        | —        | —        |
|                        |                                                                                                                                  |              | DC 92175 | 92176   | 92177   | 92178    | —        | —        | —        |
|                        |                                                                                                                                  |              | A/O —    | —       | —       | —        | 90471    | 90472    | 90473    |
|                        |                                                                                                                                  | 1/2" (13 mm) | 3M 89100 | 89101   | 89102   | 89103    | —        | —        | —        |
|                        |                                                                                                                                  |              | DC 92180 | 92181   | 92182   | 92183    | —        | —        | —        |
|                        |                                                                                                                                  |              | A/O —    | 90671   | 90672   | 90673    | —        | —        | —        |
|                        |                                                                                                                                  | 1" (25 mm)   | 3M 89105 | 89106   | 89107   | 89108    | —        | —        | —        |
|                        |                                                                                                                                  |              | DC 92185 | 92186   | 92187   | 92188    | —        | —        | —        |
|                        |                                                                                                                                  |              | A/O —    | 90674   | 90675   | 90676    | 90512    | 90513    | 90514    |
|                        |                                                                                                                                  | 2" (51 mm)   | 3M 89110 | 89111   | 89112   | 89113    | —        | —        | —        |
|                        |                                                                                                                                  |              | DC 92190 | 92191   | 92192   | 92193    | —        | —        | —        |
|                        |                                                                                                                                  |              | A/O —    | 90677   | 90678   | 90679    | 90390    | 90391    | 90392    |
| 34" (861 mm)           |  <p>Dynangle II</p>                           | 1/4" (6 mm)  | A/O —    | 90475   | 90477   | 90479    | —        | —        | —        |
|                        |                                                                                                                                  | 1/2" (13 mm) | 3M —     | 84815   | 84816   | 84817    | —        | —        | —        |
|                        |                                                                                                                                  |              | A/O —    | 90495   | 90497   | 90499    | —        | —        | —        |
|                        |                                                                                                                                  | 3/4" (19 mm) | A/O —    | 90367   | 90368   | 90370    | —        | —        | —        |
|                        |                                                                                                                                  | 2" (51 mm)   | 3M —     | 84818   | 84819   | 84820    | —        | —        | —        |
|                        |                                                                                                                                  |              | A/O —    | 90377   | 90378   | 90380    | —        | —        | —        |
| 44" (864 mm)           |  <p>Dynaflex® utilizing 11244 Contact Arm</p> | 1/2" (13 mm) | 3M —     | 84821   | 84822   | 84823    | —        | —        | —        |
|                        |                                                                                                                                  |              | DC —     | 90545   | 90547   | 90549    | —        | —        | —        |
| 72" (183 mm)           |  <p>Versatility Grinders</p>                  | 1/4" (6 mm)  | 3M 84807 | 84771   | 84777   | 84789    | 84795    | —        | —        |
|                        |                                                                                                                                  |              | DC 94807 | 94771   | 94777   | 94789    | —        | —        | —        |
|                        |                                                                                                                                  |              | A/O —    | —       | —       | —        | 94795    | 94801    | —        |
|                        |                                                                                                                                  | 1/2" (13 mm) | 3M 84808 | 84772   | 84778   | 84790    | 84796    | —        | —        |
|                        |                                                                                                                                  |              | DC 94808 | 94772   | 94778   | 94790    | —        | —        | —        |
|                        |                                                                                                                                  |              | A/O —    | —       | —       | —        | 94796    | 94802    | —        |
|                        |                                                                                                                                  | 1" (25 mm)   | 3M 84809 | 84773   | 84779   | 84791    | 84797    | —        | —        |
|                        |                                                                                                                                  |              | DC 94809 | 94773   | 94779   | 94791    | —        | —        | —        |
|                        |                                                                                                                                  |              | A/O —    | —       | —       | —        | 94797    | 94803    | —        |

# Coated Abrasive Belts (Cont'd)


For Use With Portable Belt Tools

**3M** **3M 577F** **DC** Dynacut

| Length                 | For Use With These Dynabrade Tools |                                                                                   | Width             | 40 Grit | 50 Grit | 60 Grit | 80 Grit | 120 Grit | 180 Grit | 220 Grit |       |
|------------------------|------------------------------------|-----------------------------------------------------------------------------------|-------------------|---------|---------|---------|---------|----------|----------|----------|-------|
| 72" Cont'd<br>(183 cm) | Versatility Grinders               |  | 1-1/2"<br>(38 mm) | 3M      | 84810   | —       | 84774   | 84780    | 84792    | 84798    | —     |
|                        |                                    |                                                                                   |                   | A/O     | —       | —       | —       | —        | —        | 94798    | 94804 |
|                        |                                    |                                                                                   | 2"<br>(51 mm)     | 3M      | 84811   | —       | 84775   | 84781    | 84793    | 84799    | —     |
|                        |                                    |                                                                                   |                   | DC      | 94811   | —       | 94775   | 94781    | 94793    | —        | —     |
|                        |                                    |                                                                                   | A/O               | —       | —       | —       | —       | —        | 94799    | 94805    |       |
| 78"<br>(198 cm)        | Versatility Grinders               |  | 2"<br>(51 mm)     | DC      | 94812   | —       | 94776   | 94782    | 94794    | —        | —     |
| 104"<br>(264 cm)       | Band Saw Blade Grinders            |  | 1"<br>(25 mm)     | 3M      | —       | 89226   | —       | 89228    | —        | —        | —     |
|                        |                                    |                                                                                   |                   | 3M      | —       | 89225   | —       | 89227    | —        | —        | —     |
|                        |                                    |                                                                                   | 1-1/2"<br>(38 mm) | 3M      | —       | 89225   | —       | 89227    | —        | —        | —     |

## Scalloped Abrasive Belts

**3M** **3M 777F**

| Length       | For Use With These Dynabrade Tools                                                                | Width           | 120 Grit |
|--------------|---------------------------------------------------------------------------------------------------|-----------------|----------|
| 24" (610 mm) | Dynaflex® III  | 3M 1/2" (13 mm) | 91386    |

## Non-Woven Nylon Belts

For Use With Portable Belt Tools

**3M** Scotch-Brite™ Surface Conditioning Belts **DB** Dynabrade Non-Woven Nylon

| Length                | For Use With These Dynabrade Tools                                                                                                                                                                   | Width             | SE Coarse | Coarse Brown | Medium Maroon | Very Fine Blue | Super Fine Grey | Type T Polish White |       |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----------|--------------|---------------|----------------|-----------------|---------------------|-------|
| 7-3/8"<br>(187 mm)    | 2-1/4" Dia. Pneumatic Wheels   | 3"<br>(76 mm)     | DB        | —            | —             | 90092          | 90091           | 90090               | —     |
| 9-5/8"<br>(244 mm)    | 3" Diameter Pneumatic Wheels   | 2-1/4"<br>(57 mm) | DB        | —            | —             | 90095          | 90094           | 90093               | —     |
| 10-11/16"<br>(271 mm) | 3-1/4" Dia. Pneumatic Wheels   | 3"<br>(76 mm)     | 3M        | —            | 89213         | 89212          | 89211           | 89210               | 90048 |
|                       |                                                                                                                                                                                                      | DB                | —         | 90239        | 90238         | 90237          | 90219           | —                   |       |
|                       |                                                                                                                                                                                                      | 7"<br>(178 mm)    | DB        | —            | —             | 90098          | 90097           | 90096               | —     |
| 12"<br>(309 mm)       | Mini-Dynaflex® II              | 1/2"<br>(13 mm)   | 3M        | 90315        | 90314         | 90313          | 90312           | 90311               | —     |

# Non-Woven Nylon Belts (Cont'd)

For Use With Portable Belt Tools

**3M** Scotch-Brite™ Surface Conditioning Belts

**DB** Dynabrade Non-Woven Nylon

| Length              | For Use With These Dynabrade Tools                                                                                                                | Width             | SE Coarse | Coarse Brown | Medium Maroon | Very Fine Blue | Super Fine Grey | Type T Polish White |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----------|--------------|---------------|----------------|-----------------|---------------------|
| 15-1/2"<br>(394 mm) | 5" Diameter Pneumatic Wheels<br>                                 | 2-3/4"<br>(70 mm) | 3M        | —            | 89233         | 89232          | 89231           | —                   |
|                     |                                                                                                                                                   |                   | DB        | —            | 90023         | 90022          | 90021           | 90013               |
|                     |                                                                                                                                                   | 3-1/2"<br>(89 mm) | 3M        | 89244        | 89243         | 89242          | 89241           | 89240               |
|                     |                                                                                                                                                   |                   | DB        | —            | 90283         | 90282          | 90281           | 90014               |
| 18"<br>(457 mm)     | Dynaflex® II, Electric Dynaflex® II, Dynaflex® III, Dynangle<br> | 1/4"<br>(6 mm)    | 3M        | —            | 90231         | 90229          | 90228           | 90158               |
|                     |                                                                                                                                                   | 1/2"<br>(13 mm)   | 3M        | —            | 90297         | 90292          | 90248           | 90159               |
|                     |                                                                                                                                                   | 3/4"<br>(19 mm)   | 3M        | —            | 90299         | 90294          | 90258           | 90161               |
|                     |                                                                                                                                                   | 1"<br>(25 mm)     | 3M        | —            | 90300         | 90295          | 90259           | 90162               |
|                     |                                                                                                                                                   |                   |           |              |               |                |                 |                     |
| 24"<br>(610 mm)     | Dynaflex®<br>                                                    | 1/4"<br>(6 mm)    | 3M        | —            | 90460         | 90433          | 90403           | 90397               |
|                     |                                                                                                                                                   | 1/2"<br>(13 mm)   | 3M        | —            | 90461         | 90434          | 90400           | 90398               |
|                     |                                                                                                                                                   | 1"<br>(25 mm)     | 3M        | —            | 90462         | 90416          | 90402           | 90399               |
|                     |                                                                                                                                                   | 3"<br>(76 mm)     | 3M        | —            | 90459         | 90458          | 90404           | 90396               |
| 30"<br>(762 mm)     | Dynabelter®<br>                                                | 1/2"<br>(13 mm)   | 3M        | —            | 90442         | 90436          | 90406           | —                   |
|                     |                                                                                                                                                   | 1"<br>(25 mm)     | 3M        | —            | 90444         | 90437          | 90401           | —                   |
|                     |                                                                                                                                                   | 2"<br>(51 mm)     | 3M        | —            | 90448         | 90438          | 90414           | —                   |
| 34"<br>(864 mm)     | Dynangle II<br>                                                | 2"<br>(51 mm)     | 3M        | —            | 90374         | 90373          | 90371           | —                   |
| 72"<br>(183 cm)     | Versatility Grinders<br>                                       | 1/4"<br>(6 mm)    | 3M        | —            | —             | —              | 93735           | 93729               |
|                     |                                                                                                                                                   | 1/2"<br>(13 mm)   | 3M        | —            | 93746         | 93741          | 93736           | 93730               |
|                     |                                                                                                                                                   | 1"<br>(25 mm)     | 3M        | —            | 93747         | 93742          | 93737           | 93731               |
|                     |                                                                                                                                                   | 2"<br>(51 mm)     | 3M        | —            | 93749         | 93744          | 93739           | 93733               |

# Cloth Polishing Belts

For Use With Portable Belt Tools

| Length          | For Use With These Dynabrade Tools                                                               | Width                                                                                                   | Part Number |
|-----------------|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|-------------|
| 24"<br>(610 mm) | Dynaflex®<br> | 1/2"<br>(13 mm)<br> | 90010       |

# Coated Abrasive Bands

*For Use With Expander Wheels*



# Non-Woven Nylon Bands

*For Use With Expander Wheels*



## DC Dynacut Zirconia Alumina

| Length            | Width             |    | 36 Grit | 60 Grit | 80 Grit | 120 Grit |
|-------------------|-------------------|----|---------|---------|---------|----------|
| 1"<br>(25 mm)     | 1"<br>(25 mm)     | DC | —       | —       | 91069   | 91072    |
|                   | 1-1/2"<br>(38 mm) | DC | —       | —       | 91070   | 91073    |
|                   | 2"<br>(51 mm)     | DC | —       | —       | 91071   | 91074    |
| 1-1/2"<br>(38 mm) | 1"<br>(25 mm)     | DC | —       | —       | 91078   | 91081    |
|                   | 1-1/2"<br>(38 mm) | DC | —       | —       | 91079   | 91082    |
|                   | 2"<br>(51 mm)     | DC | —       | —       | 91080   | 91083    |
| 2"<br>(51 mm)     | 1"<br>(25 mm)     | DC | —       | —       | 91087   | 91090    |
|                   | 1-1/2"<br>(38 mm) | DC | —       | —       | 91088   | 91091    |
|                   | 2"<br>(51 mm)     | DC | —       | —       | 91089   | 91092    |
| 3"<br>(76 mm)     | 1"<br>(25 mm)     | DC | 90700   | 90712   | 90724   | 90736    |
|                   | 2"<br>(51 mm)     | DC | 90701   | 90713   | 90725   | 90737    |
|                   | 3"<br>(76 mm)     | DC | —       | 90719   | 90731   | 90743    |
| 4"<br>(102 mm)    | 1"<br>(25 mm)     | DC | 90702   | 90714   | 90726   | 90738    |
|                   | 1-1/2"<br>(38 mm) | DC | —       | 90720   | 90732   | 90744    |
|                   | 2"<br>(51 mm)     | DC | 90703   | 90715   | 90727   | 90739    |
|                   | 3"<br>(76 mm)     | DC | —       | 90721   | 90733   | 90745    |
| 5"<br>(127 mm)    | 1"<br>(25 mm)     | DC | 90704   | 90716   | 90728   | 90740    |
|                   | 1-1/2"<br>(38 mm) | DC | —       | 90723   | 90735   | 90747    |
|                   | 2"<br>(51 mm)     | DC | 90705   | 90717   | 90729   | 90741    |
|                   | 3"<br>(76 mm)     | DC | —       | 90706   | 90708   | 90710    |

## DB Dynabrade Non-Woven Nylon

| Length            | Width             |    | Coarse Brown | Medium Maroon |
|-------------------|-------------------|----|--------------|---------------|
| 1"<br>(25 mm)     | 1"<br>(25 mm)     | DB | 90810        | 90760         |
|                   | 1-1/2"<br>(38 mm) | DB | 90811        | 90761         |
|                   | 2"<br>(51 mm)     | DB | 90812        | 90762         |
| 1-1/2"<br>(38 mm) | 1"<br>(25 mm)     | DB | 90813        | 90763         |
|                   | 1-1/2"<br>(38 mm) | DB | 90814        | 90764         |
|                   | 2"<br>(51 mm)     | DB | 90815        | 90765         |
| 2"<br>(51 mm)     | 1"<br>(25 mm)     | DB | 90816        | 90766         |
|                   | 1-1/2"<br>(38 mm) | DB | 90817        | 90767         |
|                   | 2"<br>(51 mm)     | DB | 90818        | 90768         |
| 3"<br>(76 mm)     | 1"<br>(25 mm)     | DB | 90748        | 90754         |
|                   | 2"<br>(51 mm)     | DB | 90749        | 90755         |
|                   | 3"<br>(76 mm)     | DB | 90820        | 90770         |
| 4"<br>(102 mm)    | 1"<br>(25 mm)     | DB | 90750        | 90756         |
|                   | 1-1/2"<br>(38 mm) | DB | 90821        | 90771         |
|                   | 2"<br>(51 mm)     | DB | 90751        | 90757         |
|                   | 3"<br>(76 mm)     | DB | 90822        | 90772         |
| 5"<br>(127 mm)    | 1"<br>(25 mm)     | DB | 90752        | 90758         |
|                   | 1-1/2"<br>(38 mm) | DB | 90824        | 90774         |
|                   | 2"<br>(51 mm)     | DB | 90753        | 90759         |
|                   | 3"<br>(76 mm)     | DB | 90825        | 90775         |



# NewEdge Scalloped-Edge Abrasive Discs

Coated

**A/O** Aluminum Oxide

| Diameter          | For Use With These Dynabrade Tools                                                                                          |                                                                                   | Connects to | Vacuum Type | 80 Grit | 120 Grit | 100 Micron | 60 Micron | 30 Micron |       |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------|-------------|---------|----------|------------|-----------|-----------|-------|
| 3-1/2"<br>(89 mm) | Random Orbital and Gear-Driven Sanders<br> |  | A/O         | Hook-Face   | Non-Vac | 92580    | 92581      | 92582     | 92583     | 92584 |
| 5"<br>(127 mm)    |                                                                                                                             |                                                                                   | A/O         | Hook-Face   | Non-Vac | 92590    | 92591      | 92592     | 92593     | 92594 |
|                   |                                                                                                                             |                                                                                   |             | Hook-Face   | Vacuum  | 92600    | 92601      | 92602     | 92603     | 92604 |

## Non-Woven Nylon, for Hook-Face Pad

**DB** Dynabrade

| Diameter          | For Use With These<br>Dynabrade Tools                                                                                          | Vacuum<br>Type | Medium<br>Maroon | Fine<br>Gray |       |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------|----------------|------------------|--------------|-------|
| 3-1/2"<br>(89 mm) | Random Orbital and<br>Gear-Driven Sanders<br> | DB             | Non-Vac          | 92585        | 92586 |
| 5"<br>(127 mm)    |                                                                                                                                | DB             | Non-Vac          | 92595        | 92596 |
|                   |                                                                                                                                |                | Vacuum           | 92605        | 92606 |

## Sample Kits

Each kit contains 3 of each NewEdge Scalloped-Edge abrasive disc listed, relative to diameter and vacuum type.



| Diameter       | Kit Part No. | Diameter    | Vacuum Type | Kit Part No. |
|----------------|--------------|-------------|-------------|--------------|
| 3-1/2" (89 mm) | DB 92353     | 5" (127 mm) | DB Non-Vac  | 92350        |
|                |              | 5" (127 mm) | DB Vacuum   | 92351        |

# Non-Woven Nylon Discs

**3M** Scotch-Brite™ Surface Conditioning

| Dimensions       | For Use With These Dynabrade Tools                                                                                                                | Connects to  | SE Coarse Brown | Coarse Maroon | Medium Blue | Very Fine Gray | Super Fine White | Ultra Fine |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------|---------------|-------------|----------------|------------------|------------|
| 3/4" (19 mm)     |                                                                | 3M Hook-Face | —               | —             | 90858       | 90856          | —                | —          |
| 1-1/4" (32 mm)   |                                                                                                                                                   | 3M Hook-Face | —               | —             | 90862       | 90860          | —                | —          |
| 2" (51 mm)       |  | 3M Roloc™    | —               | 90872         | 90873       | 90874          | 90875            | —          |
| 3" (76 mm)       |                                                                                                                                                   | 3M Roloc™    | —               | 90876         | 90877       | 90878          | 90879            | —          |
| 4" (102 mm)      |                     | 3M Roloc™    | 90863           | 90867         | 90868       | —              | —                | —          |
| 11-1/4" (286 mm) |                                                                | 3M Hook-Face | —               | —             | —           | 91400          | 91402            | 91401      |
| Tear Drop        |                                                                | 3M Hook-Face | —               | 93970         | 93971       | 93972          | 93973            | —          |
| Triangular       |                                                                                                                                                   | 3M Hook-Face | —               | 93930         | 93931       | 93932          | 93933            | —          |



# Coated Abrasive Discs

**3M** 3M Regalite 751U**3M** 3M Stikit Gold 216U**DC** Dynacut**A/O** Aluminum Oxide

| Diameter                   | For Use With These Dynabrade Tools                                                                                                   | Connects to | Vacuum Type | Number of Holes  | 36 Grit | 40 Grit | 60 Grit | 80 Grit | 100 Grit | 120 Grit | 150 Grit | 180 Grit | 220 Grit | 320 Grit    |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|------------------|---------|---------|---------|---------|----------|----------|----------|----------|----------|-------------|
| <b>2"</b><br>(51 mm)       | <b>2" (51 mm) Dia. Disc Sanders</b><br>             | A/O         | PSA         | Non-Vac          | 0       | —       | —       | —       | 92040    | —        | 92046    | —        | —        | —           |
| <b>3"</b><br>(76 mm)       | <b>Random Orbital Sanders</b><br>                   | DC          | Hook-Face   | Vacuum           | 3       | —       | —       | —       | 92056    | —        | 92057    | —        | 92058    | 92059 92060 |
| <b>3-1/2"</b><br>(89 mm)   |                                                     | 3M          | PSA         | Non-Vac          | 0       | —       | —       | —       | 92090    | —        | 92092    | —        | 92094    | 92095 92097 |
| <b>5"</b><br>(127 mm)      |                                                     | 3M          | Hook-Face   | Non-Vac          | 0       | —       | —       | —       | 93101    | 93102    | 93103    | —        | 93105    | 93106 —     |
|                            |                                                                                                                                      |             |             | Vacuum           | 5       | —       | —       | —       | 93109    | 93110    | 93111    | —        | 93113    | 93114 —     |
|                            |                                                                                                                                      | 3M          | Hook-Face   | Non-Vac          | 0       | —       | 93312   | 93313   | —        | —        | —        | —        | —        | —           |
|                            |                                                                                                                                      |             |             | Vacuum           | 5       | —       | 93309   | 93310   | —        | —        | —        | —        | —        | —           |
| <b>6"</b><br>(152 mm)      |                                                     | 3M          | Hook-Face   | Non-Vac          | 0       | —       | —       | —       | 93200    | 93201    | 93202    | —        | 93204    | 93205 —     |
|                            |                                                                                                                                      |             |             | Vacuum           | 6       | —       | —       | —       | 93215    | 93216    | 93217    | —        | 93219    | 93220 —     |
|                            |                                                                                                                                      | 3M          | Hook-Face   | Non-Vac          | 0       | —       | 93318   | 93319   | —        | —        | —        | —        | —        | —           |
|                            |                                                                                                                                      |             |             | Vacuum           | 5       | —       | 93315   | 93316   | —        | —        | —        | —        | —        | —           |
| <b>8"</b><br>(203 mm)      | <b>Random Orbital and Gear-Driven Sanders</b><br> | DC          | PSA         | Non-Vac          | 0       | —       | 91235   | —       | 91237    | —        | 91239    | —        | —        | —           |
|                            |                                                                                                                                      |             |             | Vacuum           | 8       | —       | 91247   | —       | 91249    | —        | 91251    | —        | —        | —           |
|                            |                                                                                                                                      |             | Hook-Face   | Non-Vac          | 0       | —       | 91444   | —       | 91446    | —        | 91448    | —        | —        | —           |
|                            |                                                                                                                                      |             |             | Vacuum           | 8       | —       | 91456   | —       | 91458    | —        | 91460    | —        | —        | —           |
| <b>11-1/4"</b><br>(286 mm) |                                                   | A/O         | Hook-Face   | Non-Vac          | 0       | 91315   | —       | 91316   | 91300    | —        | 91301    | —        | 91302    | —           |
|                            |                                                                                                                                      |             |             | Vacuum "O-Style" | 91317   | —       | 91318   | 91303   | —        | 91304    | —        | 91305    | —        | —           |
| <b>Tear-Drop</b>           |                                                   | A/O         | PSA         | Non-Vac          | 0       | —       | —       | —       | 93993    | —        | 93994    | 93995    | 93996    | —           |
|                            |                                                                                                                                      |             | Hook-Face   | Non-Vac          | 0       | —       | —       | —       | 93953    | —        | 93954    | 93955    | 93956    | —           |
| <b>Triangular</b>          |                                                   | A/O         | PSA         | Non-Vac          | 0       | —       | —       | —       | 93983    | —        | 93984    | 93985    | 93986    | —           |
|                            |                                                                                                                                      |             | Loop        | Non-Vac          | 0       | —       | —       | —       | 93913    | —        | 93914    | 93915    | 93916    | —           |

## Micro-Finishing Film

**SC** Silicon Carbide**A/O** Aluminum Oxide

| Diameter                   | For Use With These Dynabrade Tools                                                                                                   | Connects to | Vacuum Type | Number of Holes  | 80 Grit | 120 Grit | 180 Grit | 220 Grit | 1,000 Grit  |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|------------------|---------|----------|----------|----------|-------------|
| <b>3/4"</b><br>(19 mm)     | <b>Mini-Dynorbital® Disc Sanders</b><br>          | A/O         | PSA         | Non-Vac          | 0       | —        | —        | —        | 93183       |
|                            |                                                                                                                                      | SC          | PSA         | Non-Vac          | 0       | 93271    | 93272    | 93274    | 93275 —     |
| <b>1-1/4"</b><br>(32 mm)   |                                                   | A/O         | PSA         | Non-Vac          | 0       | —        | —        | —        | 93191       |
|                            |                                                                                                                                      | SC          | PSA         | Non-Vac          | 0       | 93280    | 93281    | 93283    | 93284 —     |
| <b>11-1/4"</b><br>(286 mm) | <b>Random Orbital and Gear-Driven Sanders</b><br> | A/O         | Hook-Face   | Non-Vac          | 0       | 91320    | 91321    | 91322    | 91323 91324 |
|                            |                                                                                                                                      |             |             | Vacuum "O-Style" | 91325   | 91326    | 91327    | 91328    | 91329       |

# Coated Abrasive Discs (Cont'd)

## Locking-Type

**DC** Dynacut Zirconia Alumina

| Diameter   | For Use With These Dynabrade Tools  |                                                                                   | 36 Grit | 50 Grit | 80 Grit |
|------------|-------------------------------------|-----------------------------------------------------------------------------------|---------|---------|---------|
| 3" (76 mm) | 3" (76 mm) Dia. Vacuum Disc Sanders |  | 92041   | 92042   | 92043   |

## Flap Discs Locking-Type



**A/O** Aluminum Oxide

| Diameter   | For Use With These Dynabrade Tools          |                                                                                   | 40 Grit | 60 Grit | 80 Grit | 120 Grit |
|------------|---------------------------------------------|-----------------------------------------------------------------------------------|---------|---------|---------|----------|
| 2" (51 mm) | 2" (51 mm) and 3" (76 mm) Dia. Disc Sanders |  | 90970   | 90971   | 90972   | 90973    |
| 3" (76 mm) |                                             |                                                                                   | 90924   | 90925   | 90926   | 90927    |

## 3M™ Ceramic Coated Discs Roloc™

**3M** 3M 777F

| Diameter        | For Use With These Dynabrade Tools          |                                                                                     | 36 Grit | 50 Grit | 60 Grit | 80 Grit | 100 Grit | 120 Grit |
|-----------------|---------------------------------------------|-------------------------------------------------------------------------------------|---------|---------|---------|---------|----------|----------|
| 2" (51 mm)      | 2" (51 mm) and 3" (76 mm) Dia. Disc Sanders |  | —       | —       | 92027   | 92028   | —        | 92029    |
| 3" (76 mm)      |                                             |                                                                                     | —       | —       | 92031   | 92032   | —        | 92033    |
| 4" (102 mm)     | 4" (102 mm) Dia. Disc Sanders               |  | 92047   | —       | 92049   | 92050   | —        | —        |
| 4-1/2" (114 mm) | 4-1/2" (114 mm) Dia. Disc Sanders           |  | —       | 92052   | —       | 92053   | 92054    | 92055    |

## 3M™ Trizact™ Abrasive Discs

**3M** 3M™ Trizact™

| Diameter         | For Use With These Dynabrade Tools     | Connects to    | Vacuum Type | Number of Holes | A35 Green | A10 Blue | A5 Orange |
|------------------|----------------------------------------|----------------|-------------|-----------------|-----------|----------|-----------|
| 1-1/4" (19 mm)   | Mini-Dynorbital® Disc Sanders          | 3M Hook-It™ II | Non-Vac     | 0               | —         | —        | 93192     |
| 11-1/4" (286 mm) | Random Orbital and Gear-Driven Sanders | 3M Hook-It™ II | Non-Vac     | 0               | 91405     | 91406    | 91407     |

# Coated Abrasive Discs (Cont'd)

## 3M™ Cerium Oxide 568XA Discs

**3M 3M™ Cerium Oxide 568XA**

| Diameter            | For Use With These Dynabrade Tools     | Connects to    | Vacuum Type | Number of Holes | 3M 568XA |
|---------------------|----------------------------------------|----------------|-------------|-----------------|----------|
| 11-1/4"<br>(286 mm) | Random Orbital and Gear-Driven Sanders | 3M Hook-It™ II | Non-Vac     | 0               | 91408    |



## Scotch-Brite™ Bristle Discs

**3M 3M**


| Length             | For Use With These Dynabrade Tools          | Maximum RPM | 50 Grit Green | 80 Grit Yellow | 120 Grit White |
|--------------------|---------------------------------------------|-------------|---------------|----------------|----------------|
| 2"<br>(51 mm)      | 2" (51 mm) and 3" (76 mm) Dia. Disc Sanders | 3M 25,000   | 92015         | 92016          | 92017          |
| 3"<br>(76 mm)      |                                             | 3M 15,000   | 92021         | 92022          | 92023          |
| 4-1/2"<br>(114 mm) | 4-1/2" (114 mm) Dia. Disc Sanders           | 3M 12,000   | 90915         | 90916          | 90917          |



## 3M™ Clean 'n Strip™ Discs

**3M 3M™ SXCRS**

| Length          | For Use With These Dynabrade Tools | Dia.           | Center Hole   | Coarse |
|-----------------|------------------------------------|----------------|---------------|--------|
| 1/4"<br>(6 mm)  | Dynastraight®                      | 4"<br>(102 mm) | 3M 1" (25 mm) | 90890  |
| 1/2"<br>(13 mm) |                                    | 5"<br>(127 mm) | 3M 1" (25 mm) | 90883  |
|                 |                                    | 6"<br>(152 mm) | 3M 1" (25 mm) | 90886  |

Dynastraight®



## Non-Woven Nylon Wheels

*Abrasive Impregnated*
**3M Scotch-Brite™ Surface Conditioning**

| Length         | For Use With These Dynabrade Tools | Dia.           | Center Hole    | Coarse | Medium |
|----------------|------------------------------------|----------------|----------------|--------|--------|
| 4"<br>(102 mm) | Dynastraight®                      | 3"<br>(76 mm)  | 3M 1" (25 mm)  | —      | 90871  |
| 6"<br>(152 mm) | Dynisher                           | 1"<br>(25 mm)  | A/O 1" (25 mm) | —      | 90866  |
|                |                                    | 2"<br>(51 mm)  | A/O 1" (25 mm) | —      | 90865  |
|                |                                    | 4"<br>(102 mm) | A/O 1" (25 mm) | 90870  | 90864  |





# Coated Abrasive Flap Wheels

**A/O** Aluminum Oxide

| Length            | For Use With These Dynabrade Tools | Width                                                                                            | Wheel Thread       | Center Hole     | 40 Grit | 50 Grit | 60 Grit | 80 Grit | 120 Grit |
|-------------------|------------------------------------|--------------------------------------------------------------------------------------------------|--------------------|-----------------|---------|---------|---------|---------|----------|
| 2-1/2"<br>(64 mm) | Dynastraight® Flapper              |  1"<br>(25 mm)  | A/O 1/4"-20 Female | —               | —       | —       | 90830   | 90831   | —        |
| 4"<br>(102 mm)    | Dynisher                           |  4"<br>(102 mm) | A/O —              | 3/4"<br>(19 mm) | —       | —       | —       | 90851   | —        |

# Coated Abrasive Sanding Stars

## Spindle-Mount Stars

**A/O** Aluminum Oxide

| Diameter       | For Use With These Dynabrade Tools                                                                     | Shank Dia.                                                                                       | 80 Grit   | 120 Grit | 150 Grit | 180 Grit | 220 Grit | 320 Grit | 400 Grit |
|----------------|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|-----------|----------|----------|----------|----------|----------|----------|
| 4"<br>(102 mm) | Lightweight Dyninger  |  1/4"<br>(6 mm) | A/O 93166 | 93167    | 93168    | 93169    | 93171    | 93172    | 93173    |

## Arbor-Mount Stars

**A/O** Aluminum Oxide

| Diameter       | For Use With These Dynabrade Tools                                                                       | Center Hole                                                                                         | 80 Grit   | 120 Grit | 150 Grit | 180 Grit | 220 Grit | 320 Grit | 400 Grit |
|----------------|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------|----------|----------|----------|----------|----------|----------|
| 4"<br>(102 mm) | Lightweight Dyninger  |  1/2"<br>(13 mm) | A/O 93392 | 93393    | 93394    | 93395    | 93396    | 93397    | 93398    |
| 8"<br>(203 mm) | Dyninger              |  1"<br>(25 mm)   | A/O 93243 | 93245    | 93246    | 93247    | 93248    | 93251    | 93252    |

## Eyelet Stars

**A/O** Aluminum Oxide

| Diameter          | For Use With These Dynabrade Tools                                                                       | Center Hole                                                                                     | 80 Grit | 120 Grit | 150 Grit | 180 Grit | 220 Grit | 320 Grit | 400 Grit |
|-------------------|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|---------|----------|----------|----------|----------|----------|----------|
| 3/4"<br>(19 mm)   |  Lightweight Dyninger |  A/O 3-48    | 93579   | 93580    | 93581    | 93582    | 93583    | —        | —        |
| 1"<br>(25 mm)     |                                                                                                          |  A/O 3-48    | 93586   | 93587    | 93588    | 93589    | 93590    | —        | —        |
| 1-1/2"<br>(38 mm) |                                                                                                          |  A/O 8-32    | 93541   | 93542    | 93543    | 93544    | 93545    | 93546    | 93547    |
| 2"<br>(51 mm)     |                                                                                                          |  A/O 1/4"-20 | 93551   | 93552    | 93553    | 93554    | 93555    | 93556    | 93557    |
| 3"<br>(76 mm)     |                                                                                                          |  A/O 1/4"-20 | 93558   | 93559    | 93560    | 93561    | 93562    | 93563    | 93564    |
| 4"<br>(102 mm)    |                                                                                                          |  A/O 1/4"-20 | 93565   | 93566    | 93567    | 93568    | 93569    | —        | —        |

# Coated Abrasive Strips

**A/O** Aluminum Oxide

| Length         | For Use With These Dynabrade Tools                                                                              | Width           | 120 Grit  | 180 Grit | 240 Grit |
|----------------|-----------------------------------------------------------------------------------------------------------------|-----------------|-----------|----------|----------|
| 2"<br>(51 mm)  | <br>Dynafine®<br>Finger Sander | 3/8"<br>(10 mm) | A/O 93940 | 93941    | 93942    |
|                |                                                                                                                 | 3/4"<br>(19 mm) | A/O 93943 | 93944    | 93945    |
|                |                                                                                                                 | 1/4"<br>(6 mm)  | A/O 90960 | 90967    | —        |
| 6"<br>(152 mm) |                                                                                                                 | 1/2"<br>(13 mm) | A/O 90955 | 90957    | —        |

# Coated Abrasive Sheets

**A/O** Aluminum Oxide

**SC** Silicon Carbide

| Dimensions<br>Width x Length            | For Use With These Dynabrade Tools                                                                                                            | Connects<br>to | Vacuum<br>Type | Number<br>of Holes | 80<br>Grit | 100<br>Grit | 120<br>Grit | 150<br>Grit | 180<br>Grit | 220<br>Grit | 320<br>Grit | 400<br>Grit | 600<br>Grit |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------|--------------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 75 mm x<br>110 mm                       | <br>Dynabug® II Sanders                                      | A/O            | PSA            | Non-Vac            | 0          | —           | —           | 93760       | 93761       | 93762       | 93763       | —           | —           |
|                                         |                                                                                                                                               |                |                | Vacuum             | 4          | —           | —           | 93765       | 93766       | 93767       | 93768       | —           | —           |
|                                         |                                                                                                                                               |                | Hook-Face      | Non-Vac            | 0          | —           | —           | 93785       | 93786       | 93787       | 93788       | —           | —           |
|                                         |                                                                                                                                               |                |                | Vacuum             | 4          | —           | —           | 93890       | 93891       | 93892       | 93893       | —           | —           |
| 81 mm x<br>133 mm                       | <br>Dynabug® II Sanders                                    | A/O            | PSA            | Non-Vac            | 0          | —           | —           | 93770       | 93771       | 93772       | 93773       | —           | —           |
|                                         |                                                                                                                                               |                |                | Vacuum             | 8          | —           | —           | 93775       | 93776       | 93777       | 93778       | —           | —           |
|                                         |                                                                                                                                               |                | Hook-Face      | Non-Vac            | 0          | —           | —           | 93791       | 93792       | 93793       | 93794       | —           | —           |
|                                         |                                                                                                                                               |                |                | Vacuum             | 8          | —           | —           | 93895       | 93896       | 93897       | 93898       | —           | —           |
|                                         |                                                                                                                                               |                |                | 8 (4+4)            | —          | —           | —           | 93934       | 93935       | 93936       | 93937       | —           | —           |
|                                         |                                                                                                                                               |                |                |                    |            |             |             |             |             |             |             |             |             |
| 3-1/2" x<br>2-3/4"<br>(89 mm x 70 mm)   | <br>Dynafine®<br>Backsplash Sander                         | SC             | PSA            | Non-Vac            | 0          | —           | —           | 93130       | 93131       | 93132       | —           | —           | —           |
| 3-2/3" x 7"<br>(93 mm x 178 mm)         | <br>Dynabug®<br>and Dynaline<br>Sanders                    | A/O            | PSA            | Non-Vac            | 0          | 93810       | —           | 93812       | —           | 93814       | 93815       | 93816       | —           |
|                                         |                                                                                                                                               |                | Hook-Face      | Non-Vac            | 0          | —           | 93801       | —           | 93803       | 93804       | —           | —           | —           |
| 100 mm x<br>148 mm                      | <br>Dynabug® II<br>Sanders with<br>56323 Sanding Pad       | A/O            | Hook-Face      | Vacuum             | 7 (Delta)  | —           | —           | —           | 93796       | 93797       | 93798       | 93799       | —           |
| 4-1/2" x<br>7/8"<br>(114 mm x 22 mm)    | <br>Dynafine® Raised<br>Panel Sander                       | A/O            | Hook-Face      | Non-Vac            | 0          | —           | —           | 93670       | 93671       | 93672       | 93673       | —           | —           |
| 4-1/2" x<br>4-1/4"<br>(114 mm x 108 mm) | <br>Dynabug®<br>"Model T" and<br>Dynabug® II<br>with Clips | A/O            | Hook-Face      | Non-Vac            | 0          | 93850       | —           | 93851       | —           | 93852       | —           | 93853       | —           |

# DynaMitt Sheets

## Coated

**A/O** Aluminum Oxide, Gold

**A/O** Aluminum Oxide

| Dimensions<br>Width x Length            | For Use With These Dynabrade Tools | Connects<br>to                                                                    | Backing<br>Type | Weight    | 80<br>Grit | 120<br>Grit | 180<br>Grit | 320<br>Grit | 400<br>Grit | 600<br>Grit |       |       |
|-----------------------------------------|------------------------------------|-----------------------------------------------------------------------------------|-----------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------|-------|
| 4-3/4" x<br>7-7/8"<br>(121 mm x 200 mm) | DynaMitt Sanding Glove             |  | A/O             | Hook-Face | Paper      | N/A         | 93882       | 93883       | 93884       | 93885       | 93887 | 93888 |
|                                         |                                    |                                                                                   | A/O             | Hook-Face | Cloth      | J           | 93880       | —           | 93881       | —           | —     | —     |

## Non-Woven Nylon

**DB** Dynabrade

| Dimensions                                  | For Use With These Dynabrade Tools | Very Fine                                                                                            |
|---------------------------------------------|------------------------------------|------------------------------------------------------------------------------------------------------|
| <b>4-3/4" x 7-7/8"</b><br>(121 mm x 200 mm) | DynaMitt Sanding Glove             | <br><b>DB</b> 93886 |

## Sample Kits

**Each kit contains:**  
 1 non-woven nylon sheet  
 1 each of 180-600 grit paper sheets  
 2 each of 80/120 grit paper sheets  
 2 each of 80/180 cloth sheets

| Dimensions                                  | Kit Part No.    |
|---------------------------------------------|-----------------|
| <b>4-3/4" x 7-7/8"</b><br>(121 mm x 200 mm) | <b>DB</b> 93889 |

# Non-Woven Nylon Sheets

**3M** 3M™ Scotch-Brite™ Clean 'n Finish

**DB** Dynabrade Non-Woven Nylon

| Dimensions                        | For Use With These Dynabrade Tools |                                                                                                                                                                          | Medium | Fine  | Very Fine | Super Fine |       |
|-----------------------------------|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------|-----------|------------|-------|
| 4" x 7"<br>(102 mm x 178 mm)      | Dynaline Sanders                   |       | 3M     | —     | —         | 94956      | —     |
| 4-1/2" x 7/8"<br>(114 mm x 22 mm) | Dynafine® Raised Panel Sander      |   | DB     | 93674 | —         | 93675      | 93676 |

# Coated Abrasive Rolls

**3M** 3M Stikit Gold 216U

| Width             | For Use With These Dynabrade Tools |                                                                                     | Connects to                                                                         | 80 Grit | 100 Grit | 120 Grit | 150 Grit | 180 Grit |       |       |
|-------------------|------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------|----------|----------|----------|----------|-------|-------|
| 2-3/4"<br>(70 mm) | Dynaline Sanders                   |  |  | 3M      | PSA      | 93000    | 93001    | 93002    | 93003 | 93004 |
| 3-2/3"<br>(93 mm) | Dynabug® Sanders                   |  |  | 3M      | PSA      | 93030    | —        | 93032    | 93033 | 93034 |

# Dynascaler Flaps and Hub

## Flaps, Type C

**3M** 3M™ Roto Peen

| Flap Size            | For Use With These Dynabrade Tools | Heavy Duty                                                                                             |
|----------------------|------------------------------------|--------------------------------------------------------------------------------------------------------|
| <b>2"</b><br>(51 mm) | Dynascaler                         | <br><b>3M</b> 39002 |

## Hub

**DB** Dynabrade

| Width                    | For Use With These Dynabrade Tools | Part No.                                                                                                 |
|--------------------------|------------------------------------|----------------------------------------------------------------------------------------------------------|
| <b>2-1/4"</b><br>(57 mm) | Dynascaler                         | <br><b>DB</b> 30330 |

# Reinforced Depressed Center Wheels

Type 27

**A/O** Aluminum Oxide

| Diameter      | For Use With These Dynabrade Tools                 |                                                                                    | Center Hole                | 24 Grit |
|---------------|----------------------------------------------------|------------------------------------------------------------------------------------|----------------------------|---------|
| 2"<br>(51 mm) | 2" (51 mm) Dia.<br>Depressed Center Wheel Grinders |   | <b>A/O</b> 3/8"<br>(10 mm) | 90999   |
|               |                                                    |  |                            |         |

## 3M™ Green Corps™ Cut-Off Wheels

3/8" (10 mm) Center Hole

**3M** 3M

| Diameter       | For Use With These Dynabrade Tools            |                                                                                     | Thickness                 | 24 Grit |
|----------------|-----------------------------------------------|-------------------------------------------------------------------------------------|---------------------------|---------|
| 3"<br>(76 mm)  | 3" (76 mm) or 4" (102 mm) Cut-Off Wheel Tools |   | <b>3M</b> 1/16"<br>(2 mm) | 94910   |
| 4"<br>(102 mm) |                                               |   | <b>3M</b> 1/32"<br>(1 mm) | 94911   |
|                |                                               |  |                           |         |

## Diamond Cut-Off Wheels



| Diameter           | For Use With These Dynabrade Tools          |                                                                                     | Arbor           | Center Hole     | Wheel Thickness | Diamond Grit Wrap | Wheel Type        | Part No. |
|--------------------|---------------------------------------------|-------------------------------------------------------------------------------------|-----------------|-----------------|-----------------|-------------------|-------------------|----------|
| 3"<br>(76 mm)      | 3" (76 mm) Dia.<br>Cut-Off Wheel Tools      |  | —               | 3/8"<br>(10 mm) | 3/32" (2 mm)    | 1/8" (3 mm)       | Continuous Rim    | 93917    |
|                    |                                             |                                                                                     |                 |                 |                 |                   | Side Spoked       | 93646    |
| 4"<br>(102 mm)     | 4" (102 mm) Dia.<br>Cut-Off Wheel Tools     |  | 3/4"<br>(19 mm) | —               | 3/32" (2 mm)    | 1/8" (3 mm)       | Continuous Rim    | 93920    |
|                    |                                             |                                                                                     |                 |                 |                 |                   | Side Spoked       | 93649    |
|                    |                                             |                                                                                     |                 |                 |                 |                   | Gulletted/Slotted | 93661    |
| 4-1/2"<br>(114 mm) | 4-1/2" (114 mm) Dia.<br>Cut-Off Wheel Tools |  | —               | 3/8"<br>(10 mm) | 3/32" (2 mm)    | 1/8" (3 mm)       | Gulletted/Slotted | 94912    |
| 5"<br>(127 mm)     | 5" (127 mm) Dia. Cut-Off Wheel Tools        |                                                                                     | 3/4"<br>(19 mm) | —               | 3/32" (2 mm)    | 1/8" (3 mm)       | Continuous Rim    | 93921    |
|                    |                                             |                                                                                     |                 |                 |                 |                   | Side Spoked       | 93650    |
|                    |                                             |                                                                                     |                 |                 |                 |                   | Gulletted/Slotted | 93662    |



# Bi-Metal Reciprocating Saw Blades

| Length x Width                 | For Use With These Dynabrade Tools                                                | Thickness         | Shank        | Teeth per Inch | Shape                                                                               | Part Number |
|--------------------------------|-----------------------------------------------------------------------------------|-------------------|--------------|----------------|-------------------------------------------------------------------------------------|-------------|
| 6" x Taper<br>(152 mm x Taper) | Reciprocating Saws                                                                | .05"<br>(1.3 mm)  | 1/2" (13 mm) | 6              |  | 90934       |
| 6" x 3/4"<br>(152 mm x 19 mm)  |  | .035"<br>(0.9 mm) | 1/2" (13 mm) | 18             |  | 90937       |
|                                |                                                                                   |                   |              | 10             |  | 90939       |

# Reciprocating Files

| Length                             | For Use With These Dynabrade Tools                                                  | File Type | Cut Type     | Shank Dia.     | Shape                                                                                              | Part Number |
|------------------------------------|-------------------------------------------------------------------------------------|-----------|--------------|----------------|----------------------------------------------------------------------------------------------------|-------------|
| <b>3-1/2"-4"</b><br>(89 mm-102 mm) |  | Straight  | Medium Cut 1 | 1/8"<br>(3 mm) | Equaling        | 90900       |
|                                    |                                                                                     |           |              |                | Square        | 90910       |
|                                    |                                                                                     |           |              |                | Three Square  | 90920       |
|                                    |                                                                                     |           |              |                | Half Round    | 90930       |
|                                    |                                                                                     |           |              |                | Crochet       | 90940       |
|                                    |                                                                                     |           |              |                | Round         | 90950       |
|                                    |                                                                                     | Curved    | Fine Cut 1   | 1/8"<br>(3 mm) | Equaling      | 90901       |
|                                    |                                                                                     |           |              |                | Square        | 90911       |
|                                    |                                                                                     |           |              |                | Three Square  | 90921       |
|                                    |                                                                                     |           |              |                | Half Round    | 90931       |
|                                    |                                                                                     |           |              |                | Crochet       | 90941       |
|                                    |                                                                                     |           |              |                | Round         | 90951       |

| Length                | For Use With These Dynabrade Tools                                                  | Shank Dia.                              | Shape                                                                                            | "00" Very Coarse | "0" Coarse |
|-----------------------|-------------------------------------------------------------------------------------|-----------------------------------------|--------------------------------------------------------------------------------------------------|------------------|------------|
| <b>6"</b><br>(152 mm) |  | 5/32"<br>(4 mm)                         | Pillar      | 90980            | 90985      |
|                       |                                                                                     |                                         | Half Round  | 90981            | 90986      |
|                       |                                                                                     |                                         | Round       | 90982            | —          |
|                       |                                                                                     | 1/4"<br>(6 mm)                          | Triangular  | 90983            | 90988      |
|                       |                                                                                     |                                         | Square      | 90984            | 90989      |
|                       |  | 1/8" - 1/4"<br>Tapered<br>(3 mm - 6 mm) | Foundry     | 90985            | —          |