## DYNABRADE RED

# **Die Grinders** Straight Line, Right Angle, 7° Offset

Portable Air Tools for the Value-Minded Professional

### Straight Line Die Grinder

- · Compact, lightweight design.
- · Includes safety-lock lever; rear exhaust.
- · Smooth, efficient air motor with built-in speed regulator.
- · Composite tool grip absorbs vibration and reduces cold air transmission.

#### Model 18000 .4 hp, 1/4" Collet

• Optional 1/8" collet insert: 18432.

### Model 18001 .4 hp, 6 mm Collet

• Optional 6 mm collet insert: 18431.

Model 18011 6 mm Collet

• Optional 6 mm collet insert: 18431.



**CARBIDE BURRS. ROTARY** FILES, MOUNTED POINTS, WHEELS AND DISCS

#### Right Angle Die Grinder

- · Compact, lightweight design permits easy access to tight areas.
- Includes safety-lock lever; rear exhaust.
- · Composite tool grip absorbs vibration and reduces cold air transmission to operator.

### Model 18010 1/4" Collet

• Optional 1/8" collet insert: 18432.



### Model 18020 7° Offset Die Grinder

- 7° offset handle offers added comfort and control.
- · Gearless design for reduced downtime and maintenance.
- Includes 1/4" collet. Front exhaust.
- · Composite tool grip absorbs vibration and reduces cold air transmission to operator.



### Model 18015 Die Grinder / Disc Sander Kit

- Kit offers two tools in one! Comes complete with accessories for easy conversion to Die Grinder or Disc Sander.
- Ideal for surface preparation, scuffing, deburring, etc.
- Includes 18010 Die Grinder (see above), Locking-type backup pad (3" diameter), 1/4"-20 shank, 94300 Dynaswivel® (see page 163), assortment of 3" diameter abrasive discs (coated and non-woven nylon), all in durable carrying case.



Model Numbe		Motor RPM	Sound Level	Maximum Air Flow SCFM (LPM)	Hose I.D. Size Inch (mm)	Air Inlet Thread	Spindle Thread	Weight Pound (kg)	Length Inch (mm)	Height Inch (mm)
18000	.4 (298)	25,000	87 dB(A)	28 (793)	3/8 (10)	1/4" NPT	-	1 (.45)	6-1/2 (165)	1-3/4 (44)
18010	.4 (298)	20,000	87 dB(A)	19 (538)	3/8 (10)	1/4" NPT	-	1.3 (.59)	6-1/2 (165)	3 (76)
18020	.5 (373)	20,000	78 dB(A)	22 (623)	3/8 (10)	1/4" NPT	—	1.9 (0.9)	8 (203)	5-3/4 (146)

Additional Specifications: Air Pressure 90 PSIG (6.2 Bar)

