Dynafine® Detail Sander

Air-Powered Finishing Sander

TEAR-DROP DISCS 3-3/4" x 2-3/8" (95 mm x 60 mm) TRIANGULAR DISCS 2-7/8" x 3-1/8" (73 mm x 79 mm)

Excellent for Use in Tight Corners

Model 57900

- Detail sander includes triangular and tear-drop hook-face pads; also includes 94407 Flow-Control Dynaswivel®.
- · Excellent for cleaning wood edges and corners.
- Ideal for use on furniture, shutters, moldings, door jambs, metal parts and much more.
- Features 1/32" dia. orbital action for superior finishes.
- Handle is offset 7° for greater operator comfort and control.
- Uses hook-face and PSA (adhesive-backed) coated, non-woven nylon and sponge abrasives.



Orbital Motion

Model 57910 Versatility Kit

Includes 57900 tool with hook-face and PSA (adhesive-backed) pads, 94407 Flow-Control Dynaswivel® (not shown) and an assortment of abrasives.







Model	Motor	Motor	Sound	Maximum Air Flow	Hose I.D. Size	Air Inlet	Weight	Length	Height
Number	hp (W)	RPM	Level	SCFM (LPM)	Inch (mm)	Thread	Pound (kg)	Inch (mm)	Inch (mm)
57900	.12 (89)	15,000	65 dB(A)	20 (566)	1/4 (6)	1/4" NPT	1.6 (.7)	9 (229)	3-3/4 (95)

Tune-Up Kit: No. 96236 (page 192) • Additional Specifications: Air Pressure 90 PSIG (6.2 Bar)

Dynafine® Finger Sander

Air-Powered Finishing Sander

ABRASIVE STRIPS 3/4" x 2" (10 mm x 51 mm) 3/4" x 2" (19 mm x 51 mm)

Excellent for Use in Hard-to-Reach Areas

Model 57930

- Tool includes 57932 Offset Sanding Arm (with 57938 Soft Platen Pad), 94407 Flow-Control Dynaswivel® and an assortment of abrasives.
- Ideal for use on wood, metal, varnished surfaces, non-ferrous metals, stone, glass, marble, plastic, composites, painted surfaces and more!
- Handle is offset 7° for greater operator comfort and control.
- 1/32" dia. orbital action for fine finishes.

Platen Pads (sold separately)

Part No.	Size (W x L)	Density		
57938	3/8" (9 mm) x 2" (52 mm)	Soft		
57940	3/8" (9 mm) x 2" (52 mm)	Hard		
57937	3/4" (19 mm) x 2" (52 mm)	Soft		
57939	3/4" (19 mm) x 2" (52 mm)	Hard		







Model	Motor	Motor	Sound	Maximum Air Flow	Hose I.D. Size	Air Inlet	Weight	Length	Height
Number	hp (W)	RPM	Level	SCFM (LPM)	Inch (mm)	Thread	Pound (kg)	Inch (mm)	Inch (mm)
57930	.12 (89)	15,000	65 dB(A)	20 (566)	1/4 (6)	1/4" NPT	1.6 (.7)	11-3/4 (298)	4 (102)

Tune-Up Kit: No. 96236 (page 192) • Additional Specifications: Air Pressure 90 PSIG (6.2 Bar)

