

DYNABRADE STATIONARY EQUIPMENT

Reorder No. D11.03

Metal Capture Downdraft Table

NEW!

Capture Combustible Metal Grinding Particles in Water!

Ideal for Aircraft & Military Operations, Refineries, Foundries, More!

Meets These NFPA Requirements:

- Interlock Pneumatic Valve with Blower and Time-Delay. Tools operate only when Downdraft Table is running!
- Class II, Group E Explosion-Proof Motor
- Aluminum Top for Non-Spark Work Surface
- Non-Spark Aluminum Blower on Collector's Clean-Air Side
- Automatic Water Level Control
- Vented Sump (Main Tank)
- Low Voltage Control
- Lockable Fused Power Disconnect



Features & Benefits:

Models 64400 – 64405

- Ideal for capturing **aluminum** and **titanium** dust.
- Working area of 36" wide x 60" long accommodates large work pieces.
- Includes casters for easy maneuvering; casters also lock securely into place.
- Choice of models that direct exhaust down, up, or to the side.
- Overload protection / fused disconnect for safety.
- Sturdy 12-gauge construction.
- Includes shields for both sides and back of table.
- Work piece capacity / load rating of 2,000 pounds.
- 42 gallon capacity; 1,800 CFM at 4" static pressure.
- Easy system maintenance. No paper filters to replace!



Model Number	Motor hp	Volts	Phase	Frequency	CFM	Exhaust Direction	Sound Level	Working Area Width	Working Area Length	Height Inch (mm)	Shipping Weight Pounds (kg)
64400	3	230	3	60 Hz	1,800	Down	85 dB(A)	36" (914 mm)	60" (1,524 mm)	33 (838)	700 (318)
64402	3	230	3	60 Hz	1,800	Up	85 dB(A)	36" (914 mm)	60" (1,524 mm)	33 (838)	700 (318)
64404	3	230	3	60 Hz	1,800	Side	85 dB(A)	36" (914 mm)	60" (1,524 mm)	33 (838)	700 (318)
64401	3	460	3	60 Hz	1,800	Down	85 dB(A)	36" (914 mm)	60" (1,524 mm)	33 (838)	700 (318)
64403	3	460	3	60 Hz	1,800	Up	85 dB(A)	36" (914 mm)	60" (1,524 mm)	33 (838)	700 (318)
64405	3	460	3	60 Hz	1,800	Side	85 dB(A)	36" (914 mm)	60" (1,524 mm)	33 (838)	700 (318)

Call Toll-Free: 1-800-828-7333

DYNABRADE, INC.

www.dynabrade.com

8989 Sheridan Drive • Clarence, NY 14031-1419 • Phone: (716) 631-0100 • Fax: 716-631-2073

© DYNABRADE, INC., 2011

PRINTED IN USA

