



Dynabrade Point-of-Purchase

Pre-Packaged Accessories
For Showroom and "Will Call" Area Sales!



Dynabrade Point-of-Purchase



A - Dynabrade Buffing Kit

Note: All Pads Maximum 3,200 RPM

Kit includes one of each:

- 3" Terry Cloth Pad (P/N 90027)
- 3" Wool Pad (P/N 90028)
- 3" White "Polishing" Foam Pad (P/N 90038)
- 3" Yellow "Cutting" Foam Pad (P/N 90044)
- 3" Hook-Face Pad Backing (P/N 50125)
- 1/4" Shank (P/N 50103)

P/N 76000

- **B** Yellow Foam Buffing "Cutting" Pads (Qty: 4) P/N 76017
- C Wool Buffing Pads (Qty: 4) P/N 76015
- **D** Terry Cloth Buffing Pads (Qty: 4) P/N 76014
- E White Foam Buffing "Polishing" Pads (Qty: 4) P/N 76016



DynaZip Wire Wheels

Ideal for removing paint, rust and sealants.

P/N 92245 - 4" dia. x ¾" wide (Coarse, Bent Tip)

P/N 92246 - 4" dia. x ¾" wide (Medium, Bent Tip)

P/N 92247 - 4" dia. x ¾" wide (Fine, Straight Tip)

P/N 92248 - 4" dia. x ½" wide (Coarse, Bent Tip)



RED-TRED® Eraser Wheel

For removal of vinyl graphics. 4" diameter x 1-1/4" wide.

P/N 92255

RED-TRED® Eraser Wheel and Hub

For use on DynaZip Surface Preparation Tool.

P/N 92257



RED-TRED® Eraser Disc and Hub

For use on any 5/8"-11 spindle tool operating under 3,500 RPM.

P/N 92295

RED-TRED® Eraser Disc

For removal of vinyl graphics. 4" diameter

P/N 92297



Random Orbital Head Kit

Unique random orbital motion minimizes "haze" and "halo" effects, while reducing "burn through" of top coats and sealants. Fits tools with 5/8"-11 spindles.

P/N 61374



A - DynaJet In-Line Blow Gun - Safety Tip

Purges air lines of water and contaminants before starting air tool. Clean off work pieces after grinding and sanding. Meets O.S.H.A. requirements which limits air pressure to 30 PSIG.

P/N 76003

B - DynaJet In-Line Blow Gun - Standard P/N 76002



Cut & Polish Head Kit

Switch easily between two actions no need to remove head from tool. Rotary for "cutting" and random for "final finishing". Fits tools with 5/8"-11 spindle.

P/N 61384



A - Push-Button Quick Coupler and Plug Set

Lightweight 1.4 oz, non-marring composite material. Heavy-duty construction.

P/N 76004: 1/4" Female Coupler to 1/4" Male Plug

B - Pull-Back Steel and Brass Coupler/Plug Set

Durable nickel-plated steel and brass construction. Pull back on sleeve of coupler for quick disconnect of tool from air line.

P/N 76005: 1/4" Female Coupler to 1/4" Male Plug



Lightweight 8 mm I.D. Air Line Assembly

Air line is 66% lighter than conventional hoses. High flexibility and narrow bending prevents choking. Includes one male and one female fitting.

P/N 76018: 5' Length P/N 76019: 2' Length



Dynaswivel® ¼" Air Line Connector Never Fight an Air Hose Again

Dynaswivel® rotates 360° at two locations allowing air hose to drop straight to the floor, no matter how the tool is held.

P/N 94300: Composite

P/N 96177: Composite (10 Pack)

P/N 95460: Aluminum

Accessory Options



Vinyl-Face Random Orbital Sanding Disc Pad

P/N 76006: 5" Dia. Vacuum P/N 76007: 5" Dia. Non-Vacuum P/N 76008: 6" Dia. Vacuum P/N 76009: 6" Dia. Non-Vacuum

Hook-Face Random Orbital Sanding Disc Pad

P/N 76010: 5" Dia. Vacuum P/N 76011: 5" Dia. Non-Vacuum P/N 76012: 6" Dia. Vacuum P/N 76013: 6" Dia. Non-Vacuum



Vinyl-Face Random Orbital Sanding Disc Pad Counter Display Pack

Each display pack consists of ten pads in a refillable Dynabrade display box. Premium urethane balanced random orbital sanding pads with a 5/16"-24 male thread.

P/N 95994: 5" Dia. Non-Vacuum P/N 95995: 5" Dia. Vacuum P/N 95996: 6" Dia. Non-Vacuum P/N 95997: 6" Dia. Vacuum



DynaMitt Sanding Glove

Palm side of DynaMitt accepts hook-face abrasive sheets. Conforms to surfaces. Put sanding in the palm of your hand.

P/N 58005

DynaMitt Abrasive Sheets

Sample abrasives kit, including coated and non-woven nylon sheets.

P/N 93889



Air Lube 10W/NR Counter Display Pack

Absorbs up to 10% of its weight in water. Prevents rust and formation of gum or sludge.

P/N 96101: (24) 4 oz. Bottles



Abrasive Belt Assortment Pak

Each package consists of eleven belts. Five 60 grit DynaCut Zirconia Alumina belts, Five 80 grit DynaCut Zirconia Alumina belts and one DynaBrite® surface conditioning belt.

P/N 79200: 1/2" x 24" P/N 79201: 1/2" x 18" P/N 79202: 1/2" x 12" P/N 79203: 3/4" x 20-1/2"



Lubri-Pak

Includes: 10 oz tube of multi-purpose grease, push-type gun and 4 oz bottle of Dynabrade air tool oil.

P/N 76020



DYNABRADE, INC. · DYNABRADE INTERNATIONAL

8989 Sheridan Drive • Clarence, New York 14031-1419 Phone: (716) 631-0100 • US Fax: 716-631-2073 • Int'l Fax: 716-631-2524 US Consumers Call Toll-Free: 1-800-828-7333 Canadian Consumers Call Toll-Free: 1-800-344-1488

DYNABRADE EUROPE S.à r. l.

Zone Artisanale Op Tomm 6 • L-5485 Wormeldange—Haut, Luxembourg Telephone: +352 768 494 1 • Fax: +352 768 495

DYNABRADE DO BRASIL

Rua Oneda, 632 • Sao Bernardo do Campo • SP - CEP 09895-280 Telephone 55-11-4390-0133 • Fax 55-11-4399-1067

DYNABRADE INDIA ABRASIVE POWER TOOLS Pvt Ltd.

EL-54, TTC Industrial Area, M.I.D.C. Mahape, Electronic Zone, Navi Mumbai - 400705 Maharashtra, India • Telephone: +91 22 2763 2226 • Fax: +91 22 2763 2228 Try Our U.S. Consumer Toll-Free Number 1-888 DYNABRADE (or 1-800-828-7333)

DISTRIBUTED BY:



