

Vacuum Cut-Off Wheel Tool

Air-Powered Cutting Tool, 5" Diameter



DYNASWIVEL®
PAGE 223

COUPLER/PLUG
PAGE 228

For Efficient Cutting with Capture of Dust and Debris.
Ideal for use on Fiberglass and Composites.

FOR DIAMOND
CUT-OFF WHEELS
5" (127 mm) Diameter
SEE PAGE 293

5" Diameter, 1.3 hp, 12,000 RPM

Model 52615

- Ideal for use with optional 5" diameter Diamond Cut-Off Wheels with 3/4" diameter center hole (see page 293).
- Adjustable wheel guard has vacuum port (1-1/4" outside diameter) that diverts airborne dust and debris to optional vacuum source.
- Non-marring composite base is removable to utilize maximum blade depth of 1-3/16" (30 mm). Optional 53544 composite base is available for scoring.
- "Wick Lube" System extends gear life with simple lubrication. Tool includes 95848 Gear Oil and 95541 Gear Oil Gun.
- Exhaust system rotates 360° to ensure exhaust is always directed away from operator.
- Safety-lock lever is included.



Includes 95848 Gear Oil
and 95541 Gear Oil Gun

IMPORTANT: Speed of tool must not exceed maximum operating speed of accessory. Never mount saw blades or non-reinforced grinding wheels. Always wear eye, face & body protection.

Model Number	Motor hp (W)	Motor RPM	Sound Level	Maximum Air Flow SCFM (L/Min)	Hose I.D. Size Inch (mm)	Air Inlet Thread	Spindle Thread	Weight Pound (kg)	Length Inch (mm)	Height Inch (mm)
52615	1.3 (969)	12,000	84 db(A)	42 (1,189)	3/8 (10)	3/8" NPT	3/8"-24	7.3 (3.3)	15.2 (385)	8.4 (213)

Additional Specifications: Air Pressure 90 PSIG (6.2 Bar)

Guide to Dynabrade Vacuum Tools

GRINDERS

Abrasive Belt Tool

Vacuum Dynafine® II 15



Grinders

- 3" Dia. Vacuum Cut-Off Wheel Tools 110
- 4-1/2" - 5" Dia. Vacuum Cut-Off Wheel Tools 112
- 5" Dia. Vacuum Cut-Off Wheel Tool..... 113



Die Grinders

- Central Vacuum Pencil Grinder 50
- .4 hp Vacuum Die Grinders 69
- .7 hp Vacuum Die Grinders 70
- 1 hp Vacuum Die Grinders 70



Drills & Specialty Tools

- .4 hp Vacuum Drills 136
- .7 hp Vacuum Drills 137
- Vacuum Router 144



Disc Sanders

- 2" Dia. Vacuum Disc Sanders 85
- 3" Dia. Vacuum Disc Sanders 87
- 5" Dia. Vacuum Disc Sanders 89
- 7" Dia. Vacuum Disc Sander 90



Random Orbital Sanders

- Dynorbital® Supreme 148
- Dynorbital® Silver Supreme 152
- Dynorbital-Spirit® 154
- HiVac Dynorbital-Spirit® 156
- Two-Hand Dynorbital® 158
- 11" Dia. Two-Hand Dynorbital® 159
- 11" Dia. Electric Two-Hand Dynorbital® 159



Gear-Driven & Finishing Sanders

- DynaLocke® 166
- Gear-Driven Sanders 168
- 11" Dia. Gear-Driven Sanders 169
- Dynafine® Detail Sander 170
- Dynabug® "Model T" Sander 174
- Dynabug® Sander 175
- Dynabug® II Sander 177
- Dynaline Sander 178



Source Capture Systems

- 204



Dynabrade.com

