

Please Note the Following:

Dynabrade, Inc. only distributes this product as a reseller and is not the manufacturer of this product you have purchased. The MSDS/SDS document included with this product is prepared and supplied by the original manufacturer and is the most current documentation made available to Dynabrade, Inc. at the time of shipping this product. Although Dynabrade, Inc. makes every reasonable effort to ensure the accuracy and reliability of the information contained in the MSDS/SDS document, Dynabrade, Inc. makes no warranty, express or implied, with respect to the accuracy or reliability of such information, nor will Dynabrade, Inc. assume any liability for any loss or damage arising out of the use of such information including without limitation direct or indirect losses or expenses. All questions regarding this product should be directed to the original manufacturer, as listed in Section 1 of the MSDS/SDS document. It is your responsibility as the purchaser of this product to keep up to date with your MSDS/SDS document by periodically checking in with the original manufacturer for updates.

Dynabrade Part Number:

- 95848**
Dynabrade Gear Oil
• 2.5 oz. (74 ml)



Email: customer.service@dynabrade.com

Visit Our Website: Dynabrade.com

DYNABRADE, INC.
8989 Sheridan Drive
Clarence, NY 14031-1419 USA
Telephone: (716) 631-0100
Fax: 716-631-2073
International Fax: 716-631-2524

DYNABRADE EUROPE S.à.r.l.
Zone Artisanale Op Tomm 6
L-5485 Wormeldange-Haut
Luxembourg
Telephone: +352 768 494 1
Fax: +352 768 495

DYNABRADE INDIA ABRASIVE POWER TOOLS Pvt Ltd.
EL-54, TTC Industrial Area, M.I.D.C. Mahape
Electronic Zone, Navi Mumbai - 400705
Maharashtra, India
Telephone: +91 22 2763 2226
Fax: +91 22 2763 2228



SAFETY DATA SHEET

1. IDENTIFICATION

Product identifier: Orelube G-90/140

Manufacturer Name: THE ORELUBE CORPORATION
Address: 20 Sawgrass Drive
Bellport, NY 11713

Telephone number: (631) 205-9700

Emergency phone number: Infotrac 1-800-535-5053 / shipments in the USA and/or Canada
+1-352-323-3500 / shipments outside USA (international)

Recommended use: Industrial Gear Oil
Restrictions on use: None known

Date of Preparation: June 12, 2015

2. HAZARD(S) IDENTIFICATION

Classification:

Physical	Health
Not hazardous	Not Hazardous

Label Elements:

Not hazardous in accordance with the GHS and OSHA Hazcom 2012.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Concentration
Petroleum Paraffinic Base Oil	64742-70-7	80-100%
Gear Oil Additives	Mixture	1-10%

The exact percentage (concentration) and composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

Inhalation: Remove person to fresh air. If irritation occurs or symptoms develop, get medical attention.

Skin contact: Remove contaminated clothing. Wash skin with soap and water. If irritation develops and persists, get medical attention. Launder clothing before reuse.

Eye contact: Immediately flush eyes with water while lifting the upper and lower lids. Get medical attention if irritation persists.

Ingestion: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to a person who is unconscious or convulsing. Get medical attention if symptoms develop.

Most important symptoms/effects, acute and delayed: May cause mild eye irritation. Prolonged skin contact may cause irritation and drying of the skin. Ingestion may cause gastrointestinal distress with nausea and diarrhea. Inhalation of mists may cause upper respiratory tract irritation.

Indication of immediate medical attention and special treatment, if necessary: Immediate medical attention is not generally required.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Use water fog, foam, carbon dioxide or dry chemical to extinguish a fire involving this product. So not use solid water stream as this may spread the fire.

Specific hazards arising from the chemical: Product is not flammable or combustible but may burn in a fire. Combustion products are hazardous and may include carbon, nitrogen, sulfur, phosphorus and molybdenum oxides.

Special protective equipment and precautions for fire-fighters: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for all fires involving chemicals. Cool fire exposed containers with water.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures: Wear appropriate protective clothing and equipment as described in Section 8. Use caution – surfaces will be very slippery.

Environmental Precautions: Prevent spill from entering sewers and water courses. Report releases as required by local and national authorities.

Methods and materials for containment and cleaning up: Contain and collect with an inert absorbent material. Place in an appropriate container for disposal. Clean spill area thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling: Avoid the generation of mists. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and water after handling. Keep away from open flames and hot surfaces.

Conditions for safe storage, including any incompatibilities: Store in a dry, cool, well-ventilated area. Keep in original containers. Store away from oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure guidelines:

Petroleum Paraffinic Base Oil	5 mg/m ³ TWA OSHA PEL (as oil mist) 5 mg/m ³ TWA ACGIH TLV (inhalable)
Gear Oil Additives	None Established

Appropriate engineering controls: Use with adequate general or local exhaust ventilation to minimize exposures levels.

Individual protection measures:

Respiratory protection: None needed under normal use conditions. If exposure levels are excessive and irritation is experienced, a NIOSH approved organic vapor/particulate respirator is recommended. Selection of respiratory protection depends on the contaminant type, form and concentration. Select in accordance with OSHA 1910.134 and good Industrial Hygiene practice.

Skin protection: Impervious gloves recommended if needed to avoid prolonged skin contact.

Eye protection: Follow facility requirements. Safety goggles recommended if splashing is possible.

Other: None known.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.): Green Oil

Odor: Mild sulfur odor

Odor threshold: Not determined	pH: Not applicable
Melting point/freezing point: Not determined	Boiling Point: Not determined
Flash point: >300.2°F (>149°C) COC (petroleum base oil)	Evaporation rate (butyl acetate=1): < 1
Flammability (solid, gas): Not applicable	VOC: Not determined
Flammable limits: LEL: Not determined	UEL: Not determined
Vapor pressure: Not determined	Vapor density: Not determined
Relative density: 0.90	Solubility(ies): Insoluble in water
Partition coefficient: n-octanol/water: Not available	Auto-ignition temperature: Not available
Decomposition temperature: Not available	Viscosity: >20 cSt @ 40°C

10. STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions of use.

Chemical stability: Stable.

Possibility of hazardous reactions: None known.

Conditions to avoid: Extreme heat and open flames.

Incompatible materials: Avoid oxidizing agents.

Hazardous decomposition products: Thermal decomposition may yield carbon, nitrogen, sulfur, phosphorus and molybdenum oxides.

11. TOXICOLOGICAL INFORMATION

Acute effects of exposure:

Inhalation: Inhalation of mists from heated product may cause minor irritation of the mucous membranes and upper respiratory tract.

Ingestion: Ingestion may cause gastrointestinal distress with nausea and diarrhea.

Skin contact: May cause mild irritation and drying of the skin. Prolonged skin contact may cause dermatitis.

Eye contact: Contact may cause mild irritation with redness and tearing.

Chronic Effects: None known.

Sensitization: Components are not known to be sensitizers.

Germ Cell Mutagenicity: No adverse effects are expected. Components are not germ cell mutagens.

Reproductive Toxicity: No adverse effects are expected. Components are not reproductive toxins.

Carcinogenicity: None of the other components are listed as a carcinogen or suspect carcinogen by IARC, NTP or OSHA.

Acute Toxicity Values:

Petroleum Paraffinic Base Oil: Oral Rat LD50 >5000 mg/kg, Inhalation rat LC50 >5.53 mg/L/4 hr, Dermal rabbit LD50 >2000 mg/kg

Gear Oil Additives: Oral rat LD50 >2000 mg/kg, Inhalation rat LC50 >5 mg/L/4 hr, Dermal rabbit LD50 >2000 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity values:

Petroleum Paraffinic Base Oil: 96 hr LL50 Pimephales promelas >100 mg/L, 48 hr EL50 daphnia magna >10,000 mg/L, 96 hr NOEL Pseudokirchnerella subcapitata >100 mg/L

Gear Oil Additives: No toxicity data available. This product is expected to be toxic to aquatic life with long lasting effects.

Persistence and degradability: Petroleum paraffinic base oil is inherently biodegradable.

Bioaccumulative potential: Petroleum paraffinic base oil has the potential to bioaccumulate in aquatic organisms.

Mobility in soil: No data available.

Other adverse effects:

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with all local, state and federal regulations. No specific disposal method is recommended. Under RCRA, it is the responsibility of the user, at the time of disposal, to determine whether the product meets the RCRA criteria for hazardous waste. As sold, this product would not meet the criteria.

14. TRANSPORT INFORMATION

	UN Number	Proper shipping name	Hazard Class	Packing Group	Environmental Hazard
DOT		Not Regulated			
TDG		Not Regulated			
IMDG		Not Regulated			
ICAO		Not Regulated			

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): Not applicable – product is transported only in packaged form.

Special precautions: None known.

15. REGULATORY INFORMATION

Safety, health, and environmental regulations specific for the product in question.

CERCLA: Oil spills are reportable to the National Response Center. Many states have more stringent release reporting requirements. Report spills as required under federal, state and local regulations.

SARA Hazard Category (311/312): Not Hazardous

EPA SARA 313: This product contains the following chemicals regulated under SARA Title III, section 313:
None

EPA TSCA Inventory: All the components of this product are listed on the TSCA inventory or exempt.

California Proposition 65: This product contains chemicals known to the State of California to cause cancer and reproductive toxicity.

RoHS: Compliant

16. OTHER INFORMATION

NFPA Rating: Health = 1 Flammability = 1 Instability = 0
HMIS Rating: Health = 1 Flammability = 1 Physical Hazard = 0

SDS Revision History: Convert to OSHA GHS Format

Date of preparation: June 12, 2015

Date of previous revision: July 16, 2014

Disclaimer: This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of The Orelube Corporation. The Orelube Corporation assumes no legal responsibility for the use or reliance upon this data.